Check every 500 km, change every 15000 km/6 months

OPEL VECTRA B J96 VECTRA B 2.0 DTI 16V

(1997-2000)



ENGINE X20DTH Capacity: 5,5 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Helar 0W-40	Emperol 5W-40	Asyntho 5W-30		
Check every 500 km, change every 15000 km/ 12 months				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Helar 0W-40	Emperol 5W-40	Asyntho 5W-30		

TRANSAXLE MANUAL F18 5/1 Capacity: 1,9 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	SP Gear 5015	Syngear TDL 75W-90
Check every 15000 km/ 12 months	<u>'</u>	-

HYDRAULIC BRAKE/CLUTCH SYSTEM
Capacity: 0,4 liter

USE

Normal

PRODUCT RECOMMENDATION 1

Drauliquid-LV Super DOT 4

PRODUCT SYSTEM
CLIMATE
Moderate

PRODUCT RECOMMENDATION 2

Drauliquid-LV Super DOT 4

Change every 24 months

POWER STEERING Capacity: 1,4 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
ATF Dexron II-D	

OPEL VECTRA B J96 VECTRA B 2.0 DTI 16V

(1997-2000)



COOLING SYSTEM Capacity: 7,2 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15	Coolant SP 15+	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.