## OPEL ZAFIRA C P12 ZAFIRA C 2.0 CDTI (81 KW) (2012-2015)



|                          | CLIMATE  |
|--------------------------|----------|
|                          | Moderate |
| PRODUCT RECOMMENDATION 2 |          |
| Presteza MSP 5W-30       |          |
|                          |          |

Change every 30000 km/ 12 months

| TRANSAXLE MANUAL F40 6/1<br>Capacity: 1,6 liter |          |
|---|----------|
| USE   | CLIMATE  |
| Normal  | Moderate |
| PRODUCT RECOMMENDATION 1                        |          |
| SP Gear 1081                                    |          |

| HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0-0 liter (Between min and max.) |  |          |  |  |
|--|--|----------|--|--|
| USE  |  | CLIMATE  |  |  |
| Normal   |  | Moderate |  |  |
| PRODUCT RECOMMENDATION 1   |  |          |  |  |
| Drauliquid-LV Super DOT 4  |  |          |  |  |
| Change every 60000 km/ 24 months   |  |          |  |  |
| USE  |  | CLIMATE  |  |  |
| First change only  |  | Moderate |  |  |
| PRODUCT RECOMMENDATION 1   |  |          |  |  |

Change every 30000 km/ 12 months

**Drauliquid-LV Super DOT 4** 

| POWER STEERING Capacity: 0-0 liter (Between min and max.) |          |  |  |
|---|----------|--|--|
| USE   | CLIMATE  |  |  |
| Normal  | Moderate |  |  |
| PRODUCT RECOMMENDATION 1                                  |          |  |  |
| SP Matic 4036   |          |  |  |
| Check every 12 months/ 30000 km                           | '        |  |  |

## OPEL ZAFIRA C P12 ZAFIRA C 2.0 CDTI (81 KW) (2012-2015)



| COOLING SYSTEM Capacity: 0-0 liter (Between min and max.) |                          |          |  |  |
|---|--------------------------|----------|--|--|
| USE   |                          | CLIMATE  |  |  |
| Normal  |                          | Moderate |  |  |
| PRODUCT RECOMMENDATION 1                                  | PRODUCT RECOMMENDATION 2 |          |  |  |
| Coolant SP 15   | Coolant SP 15+           |          |  |  |
| Check every 12 months/ 30000 km                           | •                        |          |  |  |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.