PEUGEOT 308 T7 308 1.6 16V VTI THP (128 KW) 5FY (2007-2009)



ENGINE EP6DTS Capacity: 4,3 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Avanza MSP 0W-30		
Change every 30000 km/24 months		
USE	CLIMATE	
Severe	Moderate	
PRODUCT RECOMMENDATION 1		
Avanza MSP 0W-30		
Change every 20000 km/12 months		

TRANSAXLE SEMI-AUTOMATIC Capacity: 2 liter (Dry fill), Capacity:		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 5015	Gearlube RPC 75W-80	
Check every 24 months/ 30000 km	,	
USE		CLIMATE

SP Gear 5015	Gearlube RPC 75W-80		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Severe		Moderate	
USE		CLIMATE	

Check every 20000 km/ 12 months

HYDRAULIC ACTUATION MCP GEARBOX Capacity: 0-0 liter (Fill until MAX)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3023		

PEUGEOT 308 T7 308 1.6 16V VTI THP (128 KW) 5FY (2007-2009)



HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 0-0 liter (Between min and max.)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		
Change every 24 months			

ELECTRO-HYDRAULIC POWER STEERING (EHPS)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Fluid 3013		

COOLING SYSTEM Capacity: 6,2 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		
Check every 24 months/ 30000 km	'	

USE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	

Check every 20000 km/ 12 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.