PEUGEOT 5008 5008 2.0 HDI 16V DPF (110 KW) (2009-2011)



ENGINE DW10CTED4 Capacity: 5 liter (Orange dipstick), Capacity: 5,5 liter (Yellow dipstick), Filter capacity: 0,25 liter				
USE		CLIMATE		
Flexible (max)		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Avanza MSP 0W-30	Presteza MSP 5W-30	Avanza MSP+ 5W-30		
Change every 20000 km/ 24 months				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Avanza MSP 0W-30	Presteza MSP 5W-30	Avanza MSP+ 5W-30		
Change every 15000 km/ 12 months				

TRANSAXLE MANUAL ML6C 6/1 Capacity: 2,2-2,9 liter (Dry fill), Capacity: 1,9-2,6 liter (Service fill)				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2			
SP Gear 5015	Gearlube RPC 75W-80			

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 1 liter			
USE	CLIMATE		
Normal	Moderate		
PRODUCT RECOMMENDATION 1			
Drauliquid-LV Super DOT 4			
Change every 24 months	•		

ELECTRO-HYDRAULIC POWER STEERING (EHPS) Capacity: 0-0 liter (Between min and max.)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
SP Fluid 3013			

PRODUCT RECOMMENDATION

PEUGEOT 5008 5008 2.0 HDI 16V DPF (110 KW) (2009-2011)



COOLING SYSTEM Capacity: 8,4 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 14+	
Check every 120000 km/ 48 months	

AIRCONDITIONING SYSTEM

Capacity: 450 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.