## **PORSCHE (EU) 911 993 911 CARRERA** (1993-1995)



| ENGINE M64.05/06<br>Capacity: 9 liter, Capacity: 11,5 liter (Initial fill) |                          |                          |
|--|--------------------------|--------------------------|
| USE  |                          | CLIMATE                  |
| Normal   |                          | Moderate                 |
| PRODUCT RECOMMENDATION 1   | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Asyntho 5W-30  | Emperol 10W-40           | Bi-Turbo 15W-40          |
| Change every 20000 km/ 12 month  | 15                       |                          |
| USE  |                          | CLIMATE                  |
| Normal   |                          | Arctic                   |
| PRODUCT RECOMMENDATION 1   | PRODUCT RECOMMENDATION 2 |                          |
| Emperol 5W-40  | Emperol 5W-50            |                          |
| Changes aver 20000 line ( 12 month   |                          | 1                        |

Change every 20000 km/ 12 months

| DIFFERENTIAL FROM AUTOMATIC<br>Capacity: 0,9 liter |                          |                          |
|--|--------------------------|--------------------------|
| USE  |                          | CLIMATE                  |
| Normal   |                          | Moderate                 |
| PRODUCT RECOMMENDATION 1                           | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| SP Gear 1011                                       | Syngear TDL 75W-90       | Syngear 75W-90           |

Check every 20000 km/ 12 months, change every 80000 km

| TRANSAXLE MANUAL 6/1<br>Capacity: 3,6 liter |                          |                          |
|---|--------------------------|--------------------------|
| USE   |                          | CLIMATE                  |
| Normal                                      |                          | Moderate                 |
| PRODUCT RECOMMENDATION 1                    | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| SP Gear 1011                                | Syngear TDL 75W-90       | Syngear 75W-90           |

Check every 20000 km/ 12 months, change every 80000 km

| TRANSMISSION AUTOMATIC 4/1<br>Capacity: 9 liter        |  |          |
|--|--|----------|
| USE  |  | CLIMATE  |
| Normal   |  | Moderate |
| PRODUCT RECOMMENDATION 1                               |  |          |
| ATF Dexron II-D  |  |          |
| Check every 20000 km/ 12 months, change every 40000 km |  |          |

## **PORSCHE (EU) 911 993 911 CARRERA** (1993-1995)



| HYDRAULIC BRAKE SYSTEM<br>Capacity: 0,34 liter |                    |
|--|--------------------|
| use<br>Normal                                  | сымате<br>Moderate |
| PRODUCT RECOMMENDATION 1 Drauliquid Racing     |                    |
|  |                    |

Check every 20000 km, change every 24 months

| HYDRAULIC CLUTCH SYSTEM  |          |
|--------------------------|----------|
| USE                      | CLIMATE  |
| Normal                   | Moderate |
| PRODUCT RECOMMENDATION 1 |          |
| Drauliquid Racing        |          |
|                          |          |

Check every 20000 km, change every 24 months

| POWER STEERING<br>Capacity: 1 liter |          |
|-------------------------------------|----------|
| USE                                 | CLIMATE  |
| Normal                              | Moderate |
| PRODUCT RECOMMENDATION 1            |          |
| ATF Dexron II-D                     |          |
| Check every 20000 km/ 12 months     |          |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.