SCION (USA / CAN) XA XA 1.5 (USA) NCP61 (2006-2006)



ENGINE 1NZ-FE Capacity: 4,1 liter (Dry fill), Capacity: 3,7 liter (Service fill), Filter capacity: 0,3 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Presteza MSP 5W-30		

Change every 5000 miles/ 6 months

TRANSAXLE AUTOMATIC U340E 4/1 Capacity: 6,85 liter (Dry fill), Capacity: 2,9 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		
Check every 30000 miles/ 36 months		
105		

USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
SP Matic 4026		
Check every 30000 miles/ 36 months, change every 60000 miles/ 72 months		

PRODUCT RECOMMENDATION 1 SP Gear 1011	PRODUCT RECOMMENDATION 2 Syngear TDL 75W-90	PRODUCT RECOMMENDATION 3 Syngear 75W-90
Normal		Moderate
USE		CLIMATE
TRANSAXLE MANUAL 5/1 Capacity: 1,9 liter		

Check every 30000 miles/ 36 months

use Severe		climate Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Gear 1011	Syngear TDL 75W-90	Syngear 75W-90

Change every 30000 miles/ 36 months

SCION (USA / CAN) XA XA 1.5 (USA) NCP61 (2006-2006)



HYDRAULIC BRAKE/CLUTCH SYSTEM		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
Drauliquid DOT 3		
Charles your 5000 miles (Company)		

Check every 5000 miles/ 6 months

POWER STEERING		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
SP Matic 2032	ATF Almirol	ATF Dexron II-D
Charles avery 5000 miles (6 months		

Check every 5000 miles/ 6 months

COOLING SYSTEM Capacity: 4,3 liter (with automatic transaxle), Capacity: 4,4 liter (with manual transaxle)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		
Check every 15000 miles/ 18 months, change every 50000 miles/ 60 months		

use First change only		climate Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		
Check every 15000 miles/ 18 months, change every 100000 miles/ 120 months		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.