

SEAT (EU) ALHAMBRA 71, 711 ALHAMBRA 2.0 TDI (103 KW) 4DRIVE (2010-2015)



MOTOR CFFB
Kapacitet: 4,3 liter

ANVEND

Forlænget interval (max)

KLIMA

Moderat

PRODUKTANBEFALING 1

Helar SP LL-03 5W-30

Skift alle 30000 km/ 24 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Helar SP LL-03 5W-30

Skift alle 15000 km/ 12 måneder

DIFFERENTIALE BAG

Kapacitet: 0,95 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

KONISK TANDHJUL REDUKTIONSGEARKASSE

Kapacitet: 0,9 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1011

PRODUKTANBEFALING 2

Syngear TDL 75W-90

TRANSAKSEL HALVAUTOMATISK DSG 02E (DQ250) 6/1

Kapacitet: 6,9-7,2 liter (Førstegangsupfyldning), Kapacitet: 3-4 liter (Kun Mechatronic), Kapacitet: 5,2 liter (Servicepåfyldning)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2072

Skift alle 60000 km

SEAT (EU) ALHAMBRA 71, 711 ALHAMBRA 2.0 TDI (103 KW) 4DRIVE (2010-2015)



TRANSAKSEL MANUEL 0A6 6/1

Kapacitet: 2,3 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Gear 1081

PRODUKTANBEFALING 2

SP Gear 5015

Kontroller alle 24 måneder/ 30000 km

HALDEX-KOBLING FRA OG MED PRODUKTIONSdato 30-10-2013

Kapacitet: 0,75 liter (Førstegangsupfyldning), Kapacitet: 0,65 liter (Servicepåfyldning)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 6036

Skift alle 36 måneder

HALDEX-KOBLING OP TIL PRODUKTIONSdato 30-10-2013

Kapacitet: 0,85 liter (Førstegangsupfyldning), Kapacitet: 0,7 liter (Servicepåfyldning)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Fluid 6033

Skift alle 36 måneder

HYDRAULISK BREMSE- & KOBLINGSSYSTEM

ANVEND

Første Service

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

Skift alle 36 måneder

ANVEND

Efterfølgende

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

Skift alle 24 måneder

SEAT (EU) ALHAMBRA 71, 711 ALHAMBRA 2.0 TDI (103 KW) 4DRIVE (2010-2015)

**KØLESYSTEM**

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 12 EVO

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.