SEAT (EU) ALHAMBRA 71, 711 ALHAMBRA 2.0 TDI (135 KW) (2015-2020)



ENGINE CUWA, DFMA Capacity: 4,6-4,7 liter			
USE		CLIMATE	
Extended drain (max)		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Helar SP LL-03 0W-30	Helar SP LL-03 5W-30		
Change every 30000 km/ 24 months			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Helar SP LL-03 0W-30	Helar SP LL-03 5W-30		

Change every 15000 km/ 12 months

TRANSAXLE MANUAL 0A6 6/1 Capacity: 2,3 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 1081	SP Gear 5015	

Check every 24 months/ 30000 km

TRANSAXLE SEMI-AUTOMATIC DSG 02E (DQ250) 6/1 Capacity: 6,9-7,2 liter (Initial fill), Capacity: 3-4 liter (Mechatronic Only), Capacity: 5,2 liter (Service fill)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
SP Matic 2072			
Change every 60000 km			

SEAT (EU) ALHAMBRA 71, 711 ALHAMBRA 2.0 TDI (135 KW) (2015-2020)



HYDRAULIC BRAKE/CLUTCH SYSTEM	
USE	CLIMATE
Initial service	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	
Change every 36 months	
USE	CLIMATE
Subsequently	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	

Change every 24 months

COOLING SYSTEM Capacity: 0-0 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		

COOLING SYSTEM AS OF OF PRODUCTION DATE 15-07-2019 Capacity: 0-0 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.