

# SKODA SUPERB II 3T SUPERB II 1.9 TDI (77 KW) DPF (2008-2010)



## ENGINE BLS

Capacity: 3,8 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
<b>Helar SP LL-03 0W-30</b>	<b>Helar SP LL-03 5W-30</b>

Change every 15000 km/ 12 months

USE	CLIMATE
Flexible (max)	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
<b>Helar SP LL-03 0W-30</b>	<b>Helar SP LL-03 5W-30</b>

Change every 30000 km/ 24 months

## TRANSAXLE MANUAL 0A4 5/1

Capacity: 1,9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	
<b>SP Gear 1081</b>	

Check every 15000 km/ 12 months

## HYDRAULIC BRAKE/CLUTCH SYSTEM

Capacity: 0,9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	
<b>Drauliquid-LV Super DOT 4</b>	

Check every 15000 km/ 12 months, change every 24 months

## POWER STEERING

Capacity: 0-0 liter (Between min and max.)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	
<b>SP Fluid 3013</b>	

Check every 15000 km/ 12 months

# SKODA SUPERB II 3T SUPERB II 1.9 TDI (77 KW) DPF (2008-2010)



## COOLING SYSTEM

Capacity: 8,4 liter, Capacity: 9,4 liter (with 4 zone airconditioning system)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 12 EVO**

Check every 15000 km/ 12 months

## AIRCONDITIONING

We are unable to give a standard recommendation for this component. Please contact our service department.

## AIRCONDITIONING COMPRESSOR

Capacity: 250 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*