

# SMART FORTWO 451 FORTWO BRABUS ULTIMATE 120 451.333/.433 (2012-2013)



**ENGINE** M 132.930  
Capacity: 3,7 liter

| USE                         |                             | CLIMATE                   |
|-----------------------------|-----------------------------|---------------------------|
| Flexible (max)              |                             | Moderate                  |
| PRODUCT RECOMMENDATION 1    | PRODUCT RECOMMENDATION 2    | PRODUCT RECOMMENDATION 3  |
| <b>Helar SP LL-03 0W-30</b> | <b>Helar SP LL-03 5W-30</b> | <b>Presteza MSP 5W-30</b> |

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 15000 km*

**TRANSAXLE AUTOMATED** 717.4xx 5/1  
Capacity: 1,7 liter

| USE                      |                           | CLIMATE  |
|--------------------------|---------------------------|----------|
| Flexible (max)           |                           | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2  |          |
| <b>SP Gear 1011</b>      | <b>Syngear TDL 75W-90</b> |          |

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

## HYDRAULIC BRAKE SYSTEM

| USE                       |  | CLIMATE  |
|---------------------------|--|----------|
| Flexible (max)            |  | Moderate |
| PRODUCT RECOMMENDATION 1  |  |          |
| <b>Drauliquid-S DOT 4</b> |  |          |

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.*

## COOLING SYSTEM

Capacity: 0-0 liter (Between min and max.)

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Flexible (max)           |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Coolant SP 11</b>     |  |          |

*This vehicle is equipped with ASSYST or ASSYST Plus. ASSYST indicates when the vehicle needs Service.  
Change every 60000 km/ 48 months*

## AIRCONDITIONING COMPRESSOR

We are unable to give a standard recommendation for this component. Please contact our service department.

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*