

SUBARU (EU) LEGACY / OUTBACK BL, BP LEGACY / OUTBACK 2.5 TURBO (2006-2008)



MOTOR EJ255
Kapacitet: 4 liter

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Presteza MSP 5W-30	Duranza LSP 5W-30	Asyntho 5W-30

Skift alle 15000 km/ 12 måneder

ANVEND	KLIMA
Krævende	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Emperol 5W-50	Emperol 10W-40	Bi-Turbo 15W-40

DIFFERENTIALE BAG
Kapacitet: 1,1 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube GL-5 80W-90		

Kontroller alle 30000 km/ 24 måneder, skift alle 60000 km/ 48 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	SP Gear 5015	Gearlube RPC 75W-80

Kontroller alle 30000 km/ 24 måneder, skift alle 60000 km/ 48 måneder

DIFFERENTIALE FRA EN AUTOMATISK
Kapacitet: 1,4 liter

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Gearlube GL-5 80W-90		

Kontroller alle 30000 km/ 24 måneder, skift alle 60000 km/ 48 måneder

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	SP Gear 5015	Gearlube RPC 75W-80

Kontroller alle 30000 km/ 24 måneder, skift alle 60000 km/ 48 måneder

SUBARU (EU) LEGACY / OUTBACK BL, BP LEGACY / OUTBACK 2.5 TURBO (2006-2008)



TRANSAKSEL AUTOMATISK 5/1

Kapacitet: 9,8 liter

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
SP Matic 4026		

Kontroller alle 30000 km/ 24 måneder, skift alle 60000 km/ 48 måneder

TRANSAKSEL MANUEL 6/1

Kapacitet: 4,1 liter

ANVEND		KLIMA
Normal		Middelhavsagtigt
PRODUKTANBEFALING 1		
Gearlube GL-5 80W-90		

Kontroller alle 30000 km/ 24 måneder, skift alle 60000 km/ 48 måneder

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
SP Gear 1011	SP Gear 5015	Gearlube RPC 75W-80

Kontroller alle 30000 km/ 24 måneder, skift alle 60000 km/ 48 måneder

HYDRAULISK BREMSESYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Skift alle 30000 km/ 24 måneder

HYDRAULISK KOBLINGSSYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3

Skift alle 30000 km/ 24 måneder

SUBARU (EU) LEGACY / OUTBACK BL, BP LEGACY / OUTBACK 2.5 TURBO (2006-2008)



SERVOSTYRING

Kapacitet: 0,8 liter

ANVEND

Foretrukne

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 4026

Kontroller alle 24 måneder/ 30000 km

ANVEND

Acceptabel

KLIMA

Moderat

PRODUKTANBEFALING 1

SP Matic 2032

PRODUKTANBEFALING 2

ATF Almirol

Kontroller alle 24 måneder/ 30000 km

KØLESYSTEM

Kapacitet: 7,4 liter, Kapacitet: 7,3 liter (med automatisk kraftoverføring)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant SP 14+

Skift alle 30000 km/ 24 måneder

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.