TOYOTA (EU) AVENSIS T27 AVENSIS 2.0 VVT-I (2015-2018)



ENGINE 3ZR-FAE Capacity: 4,7 liter (Dry fill), Capacity: 4,2 liter (Service fill), Filter capacity: 0,3 liter				
USE		CLIMATE		
Normal		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-20	Duranza ECO 5W-20	Presteza MSP 5W-30		
Change every 15000 km/ 12 months				
USE		CLIMATE		
Severe		Moderate		
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Presteza MSP 0W-20	Duranza ECO 5W-20	Presteza MSP 5W-30		
		1		

Change every 7500 km/ 6 months

TRANSAXLE CVT K114 1/1 Capacity: 7,2 liter (Dry fill), Capacity: 2 liter (Service fill)			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
SP Matic 4016			
Check every 48 months/ 60000 km			
USE		CLIMATE	
Severe		Moderate	
PRODUCT RECOMMENDATION 1			

Check every 45000 km/ 36 months, change every 90000 km/ 72 months

HYDRAULIC BRAKE SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	
		1

Change every 30000 km/24 months

SP Matic 4016

TOYOTA (EU) AVENSIS T27 AVENSIS 2.0 VVT-I (2015-2018)



HYDRAULIC CLUTCH SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	

Change every 30000 km/ 24 months

COOLING SYSTEM Capacity: 6,2 liter (with CVT transmission)			
use Normal	climate Moderate		
PRODUCT RECOMMENDATION 1 Coolant SP 14+			
Check every 30000 km, change every 90000 km USE CLIMATE			

USE		CLIMATE
First change only		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 14+		
Check every 30000 km, change every 150000 km		

AIRCONDITIONING COMPRESSOR R-134a Capacity: 50 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM R-134a Capacity: 400-500 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.