

TOYOTA (EU) RAV4 A3 RAV4 2.2 D4-D-F DPF 2WD (2009-2013)

**ENGINE 2AD-FTV**

Capacity: 6,7 liter (Dry fill), Capacity: 5,9 liter (Service fill), Filter capacity: 0,4 liter

USE

Normal, fuel sulfur level < 50 ppm

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Duranza MSP 0W-30****PRODUCT RECOMMENDATION 2****Presteza MSP 0W-30****PRODUCT RECOMMENDATION 3****Avanza MSP 0W-30***Change every 15000 km/ 12 months***USE**

Severe, fuel sulfur level < 50 ppm

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Duranza MSP 0W-30****PRODUCT RECOMMENDATION 2****Presteza MSP 0W-30****PRODUCT RECOMMENDATION 3****Avanza MSP 0W-30***Change every 7500 km/ 6 months***TRANSAXLE MANUAL EA64 6/1**

Capacity: 2,3 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1081****PRODUCT RECOMMENDATION 2****SP Gear 5015***Check every 48 months/ 60000 km***USE**

Severe

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**SP Gear 1081****PRODUCT RECOMMENDATION 2****SP Gear 5015***Change every 60000 km/ 48 months***HYDRAULIC BRAKE SYSTEM****USE**

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Drauliquid DOT 3***Change every 30000 km/ 24 months*

TOYOTA (EU) RAV4 A3 RAV4 2.2 D4-D-F DPF 2WD (2009-2013)



HYDRAULIC CLUTCH SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3*Change every 30000 km/ 24 months*

COOLING SYSTEM

Capacity: 7,3-7,7 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 14+*Check every 30000 km, change every 90000 km*

USE	CLIMATE
First change only	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 14+*Check every 30000 km, change every 150000 km*

AIRCONDITIONING COMPRESSOR R-134a

Capacity: 145 CM3

We are unable to give a standard recommendation for this component. Please contact our service department.

AIRCONDITIONING SYSTEM R-134a

Capacity: 400-460 grams

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.