

# TOYOTA (USA / CAN) RAV4 XA30 RAV4 2.4 16V 4WD (USA) ACA33 (2006-2008)



## MOTOR 2AZ-FE

Kapacitet: 4,3 liter (Servicepåfyldning), Kapacitet: 5 liter (Tør efterfyld), Filterkapacitet: 0,2 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1       | PRODUKTANBEFALING 2      |  |
|---------------------------|--------------------------|--|
| <b>Presteza MSP 0W-20</b> | <b>Duranza ECO 5W-20</b> |  |

Skift alle 5000 mil/ 6 måneder

## DIFFERENTIALE BAG

Kapacitet: 0,5 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1         |  |  |
|-----------------------------|--|--|
| <b>Gearlube GL-5 80W-90</b> |  |  |

Kontroller alle 15000 mil/ 18 måneder

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Arktisk |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2        | PRODUKTANBEFALING 3 |
|---------------------|----------------------------|---------------------|
| <b>SP Gear 5015</b> | <b>Gearlube RPC 75W-80</b> | <b>SP Gear 1071</b> |

Kontroller alle 15000 mil/ 18 måneder

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Moderat |

| PRODUKTANBEFALING 1         |  |  |
|-----------------------------|--|--|
| <b>Gearlube GL-5 80W-90</b> |  |  |

Skift alle 15000 mil/ 18 måneder

| ANVEND   | KLIMA   |
|----------|---------|
| Krævende | Arktisk |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2        | PRODUKTANBEFALING 3 |
|---------------------|----------------------------|---------------------|
| <b>SP Gear 5015</b> | <b>Gearlube RPC 75W-80</b> | <b>SP Gear 1071</b> |

Skift alle 15000 mil/ 18 måneder

# TOYOTA (USA / CAN) RAV4 XA30 RAV4 2.4 16V 4WD (USA) ACA33 (2006-2008)



## REDUKTIONSGEARKASSE

Kapacitet: 0,45 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube GL-5 80W-90**

*Kontroller alle 15000 mil/ 18 måneder*

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

**Gearlube GL-5 80W-90**

*Skift alle 15000 mil/ 18 måneder*

## TRANSAXEL AUTOMATISK U140F 4/1

Kapacitet: 3,5 liter (Servicepåfyldning), Kapacitet: 8,7 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 4036**

*Kontroller alle 30000 mil/ 36 måneder*

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 4036**

*Kontroller alle 30000 mil/ 36 måneder, skift alle 60000 mil/ 72 måneder*

## HYDRAULISK BREMSE- & KOBLINGSSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid DOT 3**

*Kontroller alle 5000 mil/ 6 måneder*

# TOYOTA (USA / CAN) RAV4 XA30 RAV4 2.4 16V 4WD (USA) ACA33 (2006-2008)



## KØLESYSTEM

Kapacitet: 6,8 liter

### ANVEND

Normal

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**Coolant SP 14+**

*Kontroller alle 15000 mil/ 18 måneder, skift alle 50000 mil/ 60 måneder*

### ANVEND

Første skift kun

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**Coolant SP 14+**

*Kontroller alle 15000 mil/ 18 måneder, skift alle 100000 mil/ 120 måneder*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*