

TOYOTA (USA / CAN) 4RUNNER N210

4RUNNER 4.7 V8 32V 4WD (USA) UZN215

(2006-2008)

**ENGINE 2UZ-FE**

Capacity: 7,1 liter (Dry fill), Capacity: 6,2 liter (Service fill), Filter capacity: 0,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Presteza MSP 5W-30*Change every 5000 miles/ 6 months***DIFFERENTIAL FRONT 4x4**

Capacity: 1,4 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90*Check every 15000 miles/ 18 months*

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1

SP Gear 5015

PRODUCT RECOMMENDATION 2

Gearlube RPC 75W-80

PRODUCT RECOMMENDATION 3

SP Gear 1071*Check every 15000 miles/ 18 months*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90*Change every 15000 miles/ 18 months*

USE	CLIMATE
Severe	Arctic

PRODUCT RECOMMENDATION 1

SP Gear 5015

PRODUCT RECOMMENDATION 2

Gearlube RPC 75W-80

PRODUCT RECOMMENDATION 3

SP Gear 1071*Change every 15000 miles/ 18 months*

TOYOTA (USA / CAN) 4RUNNER N210

4RUNNER 4.7 V8 32V 4WD (USA) UZN215

(2006-2008)



DIFFERENTIAL REAR 4x4
Capacity: 3,05 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1 Gearlube GL-5 80W-90		
---	--	--

Check every 15000 miles/ 18 months

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1 SP Gear 5015	PRODUCT RECOMMENDATION 2 Gearlube RPC 75W-80	PRODUCT RECOMMENDATION 3 SP Gear 1071
---	--	---

Check every 15000 miles/ 18 months

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1 Gearlube GL-5 80W-90		
---	--	--

Change every 15000 miles/ 18 months

USE	CLIMATE
Severe	Arctic

PRODUCT RECOMMENDATION 1 SP Gear 5015	PRODUCT RECOMMENDATION 2 Gearlube RPC 75W-80	PRODUCT RECOMMENDATION 3 SP Gear 1071
---	--	---

Change every 15000 miles/ 18 months

TRANSFERBOX 4x4
Capacity: 1,4 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1 SP Gear 1011	PRODUCT RECOMMENDATION 2 Syngear TDL 75W-90	PRODUCT RECOMMENDATION 3 Syngear 75W-90
---	---	---

Check every 30000 miles/ 36 months

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1 SP Gear 1011	PRODUCT RECOMMENDATION 2 Syngear TDL 75W-90	PRODUCT RECOMMENDATION 3 Syngear 75W-90
---	---	---

Change every 30000 miles/ 36 months

TOYOTA (USA / CAN) 4RUNNER N210

4RUNNER 4.7 V8 32V 4WD (USA) UZN215

(2006-2008)

**TRANSMISSION AUTOMATIC 5/1**

Capacity: 10,9 liter (Dry fill), Capacity: 3 liter (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4036*Check every 30000 miles/ 36 months*

USE	CLIMATE
Severe	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 4036*Check every 30000 miles/ 36 months, change every 60000 miles/ 72 months***HYDRAULIC BRAKE/CLUTCH SYSTEM**

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Drauliquid DOT 3*Check every 15000 miles/ 18 months***POWER STEERING**

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

SP Matic 2032

PRODUCT RECOMMENDATION 2

ATF Almirol

PRODUCT RECOMMENDATION 3

ATF Dexron II-D*Check every 15000 miles/ 18 months***COOLING SYSTEM**

Capacity: 12,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 14+*Check every 15000 miles/ 18 months, change every 50000 miles/ 60 months*

USE	CLIMATE
First change only	Moderate

PRODUCT RECOMMENDATION 1

Coolant SP 14+*Check every 15000 miles/ 18 months, change every 100000 miles/ 120 months*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products.

PRODUCT RECOMMENDATION

**TOYOTA (USA / CAN) 4RUNNER N210
4RUNNER 4.7 V8 32V 4WD (USA) UZN215
(2006-2008)**



Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.