
VAUXHALL ASTRA F T92 ASTRA F 1.4-16V





PRODUCT RECOMMENDATION 3

Emperol Racing 10W-60

ENGINE X14XE Capacity: 3,5 liter, Filter capacity: 0,4 liter	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Bi-Turbo 20W-50	
Change every 15000 km/ 12 months	
USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 2

Emperol 5W-40

Change every 15000 km/ 12 months

PRODUCT RECOMMENDATION 1


Helar 0W-40

TRANSAXLE AUTOMATIC AF 13 4/1 Capacity: 3 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
ATF Dexron II-D	
Check every 24 months/ 30000 km	

TRANSAXLE MANUAL F13 5/1 Capacity: 1,6 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 5015	Gearlube GL-4 80W	
Check every 15000 km/ 12 months	'	

HYDRAULIC BRAKE SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	
Change every 24 months	'	'

VAUXHALL ASTRA F T92 ASTRA F 1.4-16V





POWER STEERING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
ATF Dexron II-D	
Check every 24 months/ 30000 km	

COOLING SYSTEM Capacity: 5,6 liter, Capacity: 5,5 liter	(+ airconditioning)		
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
Coolant SP 11			

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.