

# VOLKSWAGEN (VW) (EU) PHAETON 3D PHAETON 3.6 V6 4MOTION (2009-2015)



**MOTOR** CHNA, CMVA  
Kapacitet: 6,2 liter

| ANVEND                   | KLIMA   |
|--------------------------|---------|
| Forlænget interval (max) | Moderat |

| PRODUKTANBEFALING 1         | PRODUKTANBEFALING 2         |  |
|-----------------------------|-----------------------------|--|
| <b>Helar SP LL-03 0W-30</b> | <b>Helar SP LL-03 5W-30</b> |  |

Skift alle 30000 km/ 24 måneder

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2  | PRODUKTANBEFALING 3  |
|---------------------|----------------------|----------------------|
| <b>Helar 0W-40</b>  | <b>Emperol 5W-40</b> | <b>Asyntho 5W-30</b> |

Skift alle 15000 km/ 12 måneder

**DIFFERENTIALE AUTOMATISK 09L FOR**  
Kapacitet: 1,1 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2       |  |
|---------------------|---------------------------|--|
| <b>SP Gear 1011</b> | <b>Syngear TDL 75W-90</b> |  |

Kontroller alle 48 måneder/ 60000 km

**DIFFERENTIALE BAG 0AR**  
Kapacitet: 0,9 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1 | PRODUKTANBEFALING 2       |  |
|---------------------|---------------------------|--|
| <b>SP Gear 1011</b> | <b>Syngear TDL 75W-90</b> |  |

Kontroller alle 48 måneder/ 60000 km

**DIFFERENTIALE BAG 0AR FRA OG MED PRODUKTIONSdato 29-06-2010 0AR**  
Kapacitet: 0,9 liter

| ANVEND | KLIMA   |
|--------|---------|
| Normal | Moderat |

| PRODUKTANBEFALING 1 |  |  |
|---------------------|--|--|
| <b>SP Gear 1071</b> |  |  |

Kontroller alle 48 måneder/ 60000 km

# VOLKSWAGEN (VW) (EU) PHAETON 3D PHAETON 3.6 V6 4MOTION (2009-2015)



## GEAR AUTOMATISK 09L (ZF 6HP26A) 6/1

Kapacitet: 3 liter (Servicepåfyldning), Kapacitet: 9,8 liter (Tør efterfyld)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 2034**

Kontroller alle 48 måneder/ 60000 km

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Matic 2034**

Skift alle 60000 km

## REDUKTIONSGEARKASSE AUTOMATISK 09L

Kapacitet: 0,55 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Gear 1011**

PRODUKTANBEFALING 2

**Syngear TDL 75W-90**

Kontroller alle 48 måneder/ 60000 km

## HYDRAULISK BREMSE- & KOBLINGSSYSTEM

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**Drauliquid-LV Super DOT 4**

Skift alle 24 måneder

## SERVOSTYRING

Kapacitet: 0-0 liter (Imellem min. og max.)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

**SP Fluid 3013**

Kontroller alle 48 måneder/ 60000 km

# VOLKSWAGEN (VW) (EU) PHAETON 3D PHAETON 3.6 V6 4MOTION (2009-2015)



## KØLESYSTEM

Kapacitet: 0-0 liter (Imellem min. og max.)

### ANVEND

Normal

### KLIMA

Moderat

### PRODUKTANBEFALING 1

**Coolant SP 12 EVO**

*Kontroller alle 48 måneder/ 60000 km*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*