## VOLKSWAGEN (VW) (EU) GOLF SPORTSVAN AM1 GOLF SPORTSVAN 1.6



(2014-2020)

ENGINE CWVA Capacity: 4 liter (Service fill)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Helar 0W-40	Emperol 5W-40	Asyntho 5W-30
01		

Change every 15000 km/ 12 months

TRANSAXLE AUTOMATIC 09G 6/1 Capacity: 7 liter (Dry fill), Capacity: 3 liter (Service fill)		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
SP Matic 4036		
USE	CLIMATE	
Severe	Moderate	
PRODUCT RECOMMENDATION 1		
SP Matic 4036		
Change every 60000 km	·	

TRANSAXLE MANUAL 0AF (PSU/PTB) 5/1 Capacity: 2,1 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Gear 1081	SP Gear 5015		

TRANSAXLE MANUAL 0AF 5/1 Capacity: 2,1 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 1081	SP Gear 5015	

PRODUCT RECOMMENDATION

## VOLKSWAGEN (VW) (EU) GOLF SPORTSVAN AM1 GOLF SPORTSVAN 1.6



(2014-2020)

HYDRAULIC BRAKE/CLUTCH SYSTEM Capacity: 1-1,15 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	
Change every 24 months	·

COOLING SYSTEM AS OF PRODUCTION DATE 08-07-2019 Capacity: 0-0 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		
Check every 48 months/ 60000 km		

COOLING SYSTEM UP TO PRODUCTION DATE 08-07-2019 Capacity: 0-0 liter (Between min and max.)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 12 EVO		
Check every 48 months/ 60000 km		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.