VOLKSWAGEN (VW) (EU) JETTA 163 JETTA 2.0 (85 KW) (2014-2017)



ENGINE CBPA, CKJA Capacity: 4 liter (Service fill CBPA), Capacity: 3,6 liter (Service fill CKJA)			
	CLIMATE		
	Moderate		
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3		
Emperol 5W-40	Asyntho 5W-30		
	PRODUCT RECOMMENDATION 2		

Change every 15000 km/ 12 months

Capacity: 7 liter (Dry fill), Capacity: 3 liter (Service fill) USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	
USE	CLIMATE
Severe	Moderate
PRODUCT RECOMMENDATION 1	
SP Matic 4036	

TRANSAXLE MANUAL OAF (LDZ) 5/1 Capacity: 2 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
SP Gear 1081	SP Gear 5015		

_	CLIMATE	
	Moderate	
PRODUCT RECOMMENDATION 2		
SP Gear 5015		
		PRODUCT RECOMMENDATION 2

VOLKSWAGEN (VW) (EU) JETTA 163 JETTA 2.0 (85 KW) (2014-2017)



HYDRAULIC BRAKE/CLUTCH SYSTEM ABS Capacity: 1,15 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid-LV Super DOT 4	
Change every 24 months	

COOLING SYSTEM Capacity: 0-0 liter (Between min and max.)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant SP 12 EVO	
Check every 48 months/ 60000 km	<u>'</u>

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.