

# VOLKSWAGEN (VW) (EU) PASSAT B8 3G PASSAT 2.0 BITDI (176 KW) 4MOTION (2014-2020)

**ENGINE CUA**

Capacity: 4,9 liter (Service fill)

USE	CLIMATE
Extended drain (max)	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
<b>Helar SP LL-03 0W-30</b>	<b>Helar SP LL-03 5W-30</b>

*Change every 30000 km/ 24 months*

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
<b>Helar SP LL-03 0W-30</b>	<b>Helar SP LL-03 5W-30</b>

*Change every 15000 km/ 12 months***BEVEL GEAR / TRANSFERBOX**

Capacity: 0,75-0,9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
<b>SP Gear 1011</b>	<b>Syngear TDL 75W-90</b>

**DIFFERENTIAL REAR AS OF PRODUCTION DATE 08-04-20 0CR**

Capacity: 0,95 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

**DIFFERENTIAL REAR UP TO PRODUCTION DATE 08-04-20 0CR**

Capacity: 0,95 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
<b>SP Gear 1011</b>	<b>Syngear TDL 75W-90</b>

**TRANSAXLE SEMI-AUTOMATIC DSG 0DL (DQ500) 7/1**

Capacity: 6,9-7,1 liter (Dry fill), Capacity: 5,5 liter (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	
<b>SP Matic 2072</b>	

*Change every 60000 km*

# VOLKSWAGEN (VW) (EU) PASSAT B8 3G

## PASSAT 2.0 BITDI (176 KW) 4MOTION (2014-2020)

**HALDEX-CLUTCH AS OF PRODUCTION DATE 08-04-2019**

Capacity: 0,75 liter (Dry fill), Capacity: 0,65 liter (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Fluid 6036***Change every 36 months***HALDEX-CLUTCH UP TO PRODUCTION DATE 08-04-2019**

Capacity: 0,75 liter (Dry fill), Capacity: 0,65 liter (Service fill)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**SP Fluid 6036***Change every 36 months***HYDRAULIC BRAKE SYSTEM**

Capacity: 1-1,15 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Drauliquid-LV Super DOT 4***Change every 24 months***COOLING SYSTEM AS OF PRODUCTION DATE 08-07-2019**

Capacity: 0-0 liter (Between min and max.)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 12 EVO***Check every 48 months/ 60000 km***COOLING SYSTEM UP TO PRODUCTION DATE 08-07-2019**

Capacity: 0-0 liter (Between min and max.)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

**Coolant SP 12 EVO***Check every 48 months/ 60000 km*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is

PRODUCT RECOMMENDATION

**VOLKSWAGEN (VW) (EU) PASSAT B8 3G  
PASSAT 2.0 BITDI (176 KW) 4MOTION (2014-  
2020)**



*advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*