

VOLVO (EU) 200 240 2.0 (74 KW) (1985-1990)



MOTOR B200K

Kapacitet: 3,85 liter, Filterkapacitet: 0,5 liter

ANVEND

Normal

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

HDX 20W-50

Skift alle 10000 km/ 6 måneder

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Emperol 10W-40

PRODUKTANBEFALING 2

Bi-Turbo 15W-40

Skift alle 10000 km/ 6 måneder

ANVEND

Normal

KLIMA

Arktisk

PRODUKTANBEFALING 1

Asyntho 5W-30

Skift alle 10000 km/ 6 måneder

ANVEND

Krævende

KLIMA

Middelhavsagtigt

PRODUKTANBEFALING 1

HDX 20W-50

Skift alle 5000 km/ 3 måneder

ANVEND

Krævende

KLIMA

Moderat

PRODUKTANBEFALING 1

Emperol 10W-40

PRODUKTANBEFALING 2

Bi-Turbo 15W-40

Skift alle 5000 km/ 3 måneder

ANVEND

Krævende

KLIMA

Arktisk

PRODUKTANBEFALING 1

Asyntho 5W-30

Skift alle 5000 km/ 3 måneder

VOLVO (EU) 200 240 2.0 (74 KW) (1985-1990)



DIFFERENTIALE BAG

Kapacitet: 1,3-1,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube GL-5 80W-90

Kontroller alle 20000 km/ 12 måneder

GEAR AUTOMATISK AW70/71 4/1

Kapacitet: 7,4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

Kontroller alle 10000 km/ 6 måneder, skift alle 40000 km/ 24 måneder

GEAR MANUEL M45 4/1

Kapacitet: 0,75 liter

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF-F (Ford)

Kontroller alle 20000 km/ 12 måneder

GEAR MANUEL M46 4/1

Kapacitet: 2,3 liter

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF-F (Ford)

Kontroller alle 20000 km/ 12 måneder

GEAR MANUEL M47 5/1

Kapacitet: 1,3 liter

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF-F (Ford)

Kontroller alle 20000 km/ 12 måneder



SELVSPÆRRENDE DIFFERENTIALE BAG

Kapacitet: 1,3-1,6 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Kontroller alle 20000 km/ 12 måneder

ANVEND

Første skift kun

KLIMA

Moderat

PRODUKTANBEFALING 1

Gearlube LS 80W-90

Skift alle 20000 km/ 12 måneder

HYDRAULISK BREMSESYSTEM

Kapacitet: 0,4 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Drauliquid-LV Super DOT 4

PRODUKTANBEFALING 2

Drauliquid-S DOT 4

Skift alle 40000 km/ 48 måneder

SERVOSTYRING

Kapacitet: 0,8 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF-A

PRODUKTANBEFALING 2

ATF-F (Ford)

Kontroller alle 10000 km/ 6 måneder

KØLESYSTEM

Kapacitet: 9,4 liter, Kapacitet: 9,2 liter (med automatisk kraftoverføring)

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

Coolant -38 Organic NF

Skift alle 40000 km/ 48 måneder

VOLVO (EU) 200 240 2.0 (74 KW) (1985-1990)



KARBURATORSPJÆLD

Kapacitet: 0,03 liter

ANVEND

Normal

KLIMA

Moderat

PRODUKTANBEFALING 1

ATF Dexron II-D

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.