VOLVO (EU) 400 480 1.7I (1986-1990)



ENGINE B18E Capacity: 5,3 liter (Service fill), Filter capacity: 0,5 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Emperol 5W-40	Asyntho 5W-30	Emperol 10W-40
Change every 10000 km/ 6 months		
USE		CLIMATE
Severe		Mediterranean
PRODUCT RECOMMENDATION 1		
HDX 20W-50		
Change every 5000 km/ 3 months		
USE		CLIMATE
Severe		Moderate
PRODUCT RECOMMENDATION 1		
Bi-Turbo 15W-40		
Change every 5000 km/ 3 months		

TRANSAXLE AUTOMATIC ZF 4/1 Capacity: 5,5 liter		
USE	CLIMATE	
Normal	Moderate	
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		
Check every 20000 km. change eve	000 km/24 months	

TRANSAXLE MANUAL 5/1 Capacity: 3,4 liter		
USE	CL	IMATE
Normal	M	loderate
PRODUCT RECOMMENDATION 1		
SP Gear 5015		
Check every 10000 km/ 6 months		

VOLVO (EU) 400 480 1.7I (1986-1990)



HYDRAULIC BRAKE SYSTEM			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4		
Change every 40000 km/ 48 months			

Change every 40000 km/ 48 months

POWER STEERING Capacity: 0,7 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
ATF-A	ATF-F (Ford)	
Check every 20000 km/ 12 months	'	,

COOLING SYSTEM Capacity: 7 liter	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Coolant -38 Organic NF	
Change every 40000 km/ 48 months	·

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.