## CATERPILLAR LOAD HAUL DUMPERS R1300G NJB (2012 AND AFTER)



ENGINE 3306B Capacity: 25 liter			
USE		CLIMATE	
Normal		Mediterranean	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Agridiesel CRD+ 15W-40	Multifleet SHPD 15W-40		
01 1 101	4 /0501		

Check every 10 hours, change every 1 months/ 250 hours

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Synfleet SHPD 10W-40	Dieselfleet CD+ 15W-40	Multifleet SHPD 10W-40

Check every 10 hours, change every 1 months/ 250 hours

<b>DIFFERENTIAL FRONT</b> Capacity: 38 liter (+ hub reductions)	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Gear Oil Alcat 50	
Octai Oii Alout 30	

Check every 1 months/ 250 hours, change every 6 months/ 1000 hours

USE	CLIMATE	ı
Normal	Moderate	
PRODUCT RECOMMENDATION 1		_
Gear Oil Alcat 30		

Check every 1 months/ 250 hours, change every 6 months/ 1000 hours

Capacity: 42 liter (+ hub reductions)		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Gear Oil Alcat 50		
Check every 1 months/ 250 hours, char	ge every 6 months/ 1000 hours	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gear Oil Alcat 30		

KROON-OIL B.V. Postbus 149 7600 AC Almelo

DIFFERENTIAL REAR

Check every 1 months/ 250 hours, change every 6 months/ 1000 hours

## **CATERPILLAR LOAD HAUL DUMPERS R1300G NJB** (2012 AND AFTER)



HUB REDUCTIONS FRONT		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Gear Oil Alcat 50		
Check every 1 months/ 250 hours, change	ge every 6 months/ 1000 hours	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gear Oil Alcat 30		
Check every 1 months/ 250 hours, change	ge every 6 months/ 1000 hours	
HUB REDUCTIONS REAR		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Gear Oil Alcat 50		
Check every 1 months/ 250 hours, chang	ge every 6 months/ 1000 hours	

Normal	Moderate
PRODUCT RECOMMENDATION 1	
Gear Oil Alcat 30	
	<del>-</del>

CLIMATE

Check every 1 months/ 250 hours, change every 6 months/ 1000 hours

Capacity: 45 liter		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gear Oil Alcat 30	Gear Oil Alcat 50	
Check every 1 months/ 250 hours, c	hange every 6 months/ 1000 hours	
USE		CLIMATE
Normal		Cold

Normal		Cold
PRODUCT RECOMMENDATION 1		
Gear Oil Alcat 10W		
Check every 1 months/ 250 hours, change every 6 months/ 1000 hours		

TRANSMISSION Powershift

## CATERPILLAR LOAD HAUL DUMPERS R1300G NJB (2012 AND AFTER)



HYDRAULIC SYSTEM Capacity: 88 liter (Hydraulic tank)		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Gear Oil Alcat 30		
Check every 10 hours, change every 2000	hours/ 12 months	
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Agrifluid HT-Plus	Kroontrak MTH 10W-30	Agrifluid HT
Check every 10 hours, change every 2000	hours/ 12 months	
USE		CLIMATE
Biodegradable oil		Moderate
PRODUCT RECOMMENDATION 1		
Perlus Biosynth 46		
Check every 10 hours, change every 2000	hours/ 12 months	

## **GREASE POINTS/NIPPLES**

We are unable to give a standard recommendation for this component. Please contact our service department.

COOLING SYSTEM Capacity: 67 liter		
USE	CLIMATE	
Preferred, extended	Moderate	
PRODUCT RECOMMENDATION 1		
Coolant SP 17		
Check every 10 hours, change every 48 m	nths/ 6000 hours	

Coolant SP 15+	Coolant SP 12	Coolant -38 Organic NF
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Alternative (acceptable)		Moderate
USE		CLIMATE

Check every 10 hours, change every 24 months/ 3000 hours

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.