DOOSAN (DAEWOO) FORKLIFT TRUCKS, ELECTRIC B/BC/BR B20S-5 (2005 AND AFTER)



| DRIVE AXLE (WET BRAKE) Capacity: 9,2 liter | | |
|-----------------------------------------------|--------------------------|----------|
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Agrifluid HT-Plus | Agrifluid HT | |
| Change every 500 hours/ 3 months | | |
| USE | | CLIMATE |
| Initial service | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Agrifluid HT-Plus | Agrifluid HT | |
| Change event 100 hours | | |

Change every 100 hours

| HYDRAULIC SYSTEM POWER STEERING Capacity: 32 liter | | | |
|-------------------------------------------------------|--------------------------|---------------|--|
| USE | | CLIMATE | |
| Normal | | Mediterranean | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Perlus H 46 | Perlus H 68 | | |
| Change every 2000 hours/ 12 months | | | |

| USE | | CLIMATE |
|------------------------------------|--------------------------|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Perlus H 32 | Perlus H 22 | |
| Change every 2000 hours/ 12 months | | |

| GREASE POINTS/NIPPLES | |
|--------------------------|---------------|
| USE | CLIMATE |
| Normal | Mediterranean |
| PRODUCT RECOMMENDATION 1 | |
| MoS2 Grease EP 2 | |

DOOSAN (DAEWOO) FORKLIFT TRUCKS, ELECTRIC B/BC/BR B20S-5 (2005 AND AFTER)



| - | | |
|------------------------------------------------|--|----------|
| BRAKE SYSTEM WET BRAKES Capacity: 0,6 liter | | |
| USE | | CLIMATE |
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| Perlus H 15 | | |
| | | |

Check every 1 months/ 250 hours

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.