

# GENIE TELESCOPIC BOOMS, SELF PROPELLED S-... S-120 DEUTZ F4L-913



ENGINE Deutz F4L-913		
USE Normal		CLIMATE Mediterranean
PRODUCT RECOMMENDATION 1 <b>Multifleet SHPD 20W-50</b>		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 <b>Multifleet SHPD 10W-40</b>	PRODUCT RECOMMENDATION 2 <b>Multifleet SHPD 15W-40</b>	
HUB REDUCTIONS		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 <b>Gearlube GL-5 80W-90</b>	PRODUCT RECOMMENDATION 2 <b>Unigear HS GL-3/GL-5 80W-90</b>	
HYDRAULIC SYSTEM		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 <b>SP Matic 2032</b>	PRODUCT RECOMMENDATION 2 <b>ATF Almirol</b>	
HYDROSTATIC DRIVE Sundstrand		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 <b>SP Matic 2032</b>	PRODUCT RECOMMENDATION 2 <b>ATF Almirol</b>	
GREASE POINTS/NIPPLES		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 <b>Labora Grease</b>	PRODUCT RECOMMENDATION 2 <b>Q5 MP Calcep Grease EP 2</b>	PRODUCT RECOMMENDATION 3 <b>MP Lithep Grease EP 2</b>

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.