

HAKO/MULTICAR MULTICAR M27BL (4X2)

VW 2.0 TDI (EURO 5)

(WMU2M30E5BW270002 ->)

**ENGINE CJDD**

Capacity: 4,3 liter, Filter capacity: 0,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Helar SP LL-03 5W-30

Check every 8 hours, change every 25000 km/ 12 months/ 500 hours

DIFFERENTIAL REAR

Capacity: 4,5 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90

PRODUCT RECOMMENDATION 2

Unigear HS GL-3/GL-5 80W-90

Change every 25000 km/ 24 months/ 500 hours

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1

Gearlube GL-5 80W-90

PRODUCT RECOMMENDATION 2

Unigear HS GL-3/GL-5 80W-90

Change every 2500 km/ 50 hours

TRANSMISSION MANUAL W 32 S5-01/DK 5/1

Capacity: 3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Agrifluid HT-Plus

PRODUCT RECOMMENDATION 2

SP Gear 5015

PRODUCT RECOMMENDATION 3

Gearlube GL-4 80W

Check every 25000 km/ 500 hours, change every 75000 km/ 24 months/ 1500 hours

TRANSMISSION MANUAL W 32 S5/Nh7-01/DK 5/1

Capacity: 3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Agrifluid HT-Plus

PRODUCT RECOMMENDATION 2

SP Gear 5015

PRODUCT RECOMMENDATION 3

Gearlube GL-4 80W

Check every 25000 km/ 500 hours, change every 75000 km/ 24 months/ 1500 hours

HAKO/MULTICAR MULTICAR M27BL (4X2)

VW 2.0 TDI (EURO 5)

(WMU2M30E5BW270002 ->)

**HYDRAULIC SYSTEM**

Capacity: 70 liter (Hydraulic tank. Dual circuit hydraulics (Variant 03)), Capacity: 25 liter (Hydraulic tank. For electric tilt hydraulics EHK), Capacity: 70 liter (Hydraulic tank. Three circuit universal hydraulics (Variant 04))

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Perlus H 46	Perlus AF 46

Check every 50 hours, change every 25000 km/ 24 months/ 500 hours

USE	CLIMATE
Normal	Cold

PRODUCT RECOMMENDATION 1	
Perlus H 32	

Check every 50 hours, change every 25000 km/ 24 months/ 500 hours

USE	CLIMATE
Normal	Arctic

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2
Perlus H 22	Perlus AF 32

Check every 50 hours, change every 25000 km/ 24 months/ 500 hours

USE	CLIMATE
Biodegradable oil	Moderate

PRODUCT RECOMMENDATION 1	
Perlus Biosynth 46	

Check every 50 hours, change every 25000 km/ 24 months/ 500 hours

HYDRAULIC BRAKE SYSTEM

Capacity: 0,7 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	
Drauliquid DOT 5.1	

Check every 50 hours, change every 75000 km/ 24 months/ 1500 hours

HYDRAULIC CLUTCH SYSTEM

Capacity: 0,3 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	
Drauliquid DOT 5.1	

Check every 50 hours, change every 75000 km/ 24 months/ 1500 hours

HAKO/MULTICAR MULTICAR M27BL (4X2)

VW 2.0 TDI (EURO 5)

(WMU2M30E5BW270002 ->)



GREASE POINTS/NIPPLES CARDAN SHAFTS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Change every 50 hours

GREASE POINTS/NIPPLES GENERAL

USE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
HT Q9 High Grade Grease	Labora Grease	Q5 MP Calcep Grease EP 2

Change every 50 hours

COOLING SYSTEM

Capacity: 12 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Coolant SP 12		

Check every 50 hours, change every 75000 km/ 24 months/ 1500 hours

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.