# HAMM SINGLE DRUM COMPACTORS 3516 P DEUTZ BF6M1013E (H1610017 -> H1610296)



<b>ENGINE</b> Deutz BF6M-1013E Capacity: 26,5 liter (Service fill)		
USE		CLIMATE
Initial service		Tropical
PRODUCT RECOMMENDATION 1		
Multifleet SCD 40		
Change every 50 hours		
USE		CLIMATE
Initial service		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	Multifleet SCD 30
Change every 50 hours		
USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 10W-40		
Change every 50 hours		
USE		CLIMATE
Normal, fuel sulfur level <0,5 %, amb	pient temperature > -10°C	Tropical
PRODUCT RECOMMENDATION 1		
Multifleet SCD 40		
Change every 500 hours		
USE		CLIMATE
Normal, fuel sulfur level <0,5 %, amb	pient temperature > -10°C	Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	Multifleet SCD 30
Change every 500 hours		
USE		CLIMATE
Normal, fuel sulfur level <0,5 %, amb	pient temperature > -10°C	Moderate
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 10W-40		
Change aver EQQ baurs		

Change every 500 hours

# HAMM SINGLE DRUM COMPACTORS 3516 P DEUTZ BF6M1013E (H1610017 -> H1610296)



DIFFERENTIAL Capacity: 14 liter			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
Gearlube LS 80W-90			
Check every 250 hours, change every 1000 hours			
USE		CLIMATE	
Initial service		Moderate	
PRODUCT RECOMMENDATION 1			
Gearlube LS 80W-90			
Change every 500 hours			

HYDRAULIC SYSTEM Capacity: 50 liter (Hydraulic tank)	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Perlus HCD 46	
Change every 2000 hours	

Change every 2000 hours			
USE	CLIMATE		
Biodegradable oil	Moderate		
PRODUCT RECOMMENDATION 1			
Perlus Biosynth 46			
Change every 2000 hours			
USE	CLIMATE		
Biodegradable oil	Cold		
PRODUCT RECOMMENDATION 1			
Portus Rissunth 22			

#### Perlus Biosynth 32

Change every 2000 hours

GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

### HAMM SINGLE DRUM COMPACTORS 3516 P DEUTZ BF6M1013E (H1610017 -> H1610296)



#### COOLING SYSTEM Capacity: 25 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

### DRUM GEARBOX

Capacity: 2 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

#### **VIBRATOR** Capacity: 1,6 liter (each side)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.