HAULOTTE ARTICULATED WORK PLATFORMS HA15DX HARTZ 2L41C (1998-2002)



ENGINE Hatz 2L41C		
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Multifleet SCD 40	Multifleet SCD 30	

Check every 10 hours, change every 250 hours/ 3 months

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Agridiesel CRD+ 15W-40	Kroontrak MTH 10W-30	Synfleet SHPD 10W-40
Check every 10 hours, change every 250 h	nours/ 3 months	
USE		CLIMATE
Normal		Cold

Normal

PRC	DUCT	RECOMMENDATION	1

Multifleet SCD 10W

Check every 10 hours, change every 250 hours/ 3 months

REDUCTION UNIT		
use Normal		climate Moderate
PRODUCT RECOMMENDATION 1 Gearlube GL-5 80W-90	PRODUCT RECOMMENDATION 2 Unigear HS GL-3/GL-5 80W-90	

Check every 50 hours, change every 6 months/ 500 hours

USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	

Change every 50 hours

HYDRAULIC SYSTEM Capacity: 150 liter (Hydraulic tank)		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 46		
Check eveny 10 hours change eveny 1000	hours/12 months	

Check every 10 hours, change every 1000 hours/ 12 months

HAULOTTE ARTICULATED WORK PLATFORMS HA15DX HARTZ 2L41C (1998-2002)



GREASE POINTS/NIPPLES

use Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.