

HYUNDAI WHEELED LOADERS HL HL17

CUMMINS 6BT5.9 (1997-1998)

**ENGINE** Cummins 6BT5.9

| USE | CLIMATE |
|--------|---------------|
| Normal | Mediterranean |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|-------------------------------|-------------------------------|-------------------------------|
| Agridiesel CRD+ 15W-40 | Dieselfleet CD+ 15W-40 | Multifleet SHPD 15W-40 |

Change every 250 hours/ 1 months

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|-----------------------------|-------------------------------|--|
| Synfleet SHPD 10W-40 | Multifleet SHPD 10W-40 | |

Change every 250 hours/ 1 months

| USE | CLIMATE |
|-----------------|---------------|
| Initial service | Mediterranean |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|-------------------------------|-------------------------------|-------------------------------|
| Agridiesel CRD+ 15W-40 | Dieselfleet CD+ 15W-40 | Multifleet SHPD 15W-40 |

Change every 50 hours

| USE | CLIMATE |
|-----------------|----------|
| Initial service | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|-----------------------------|-------------------------------|--|
| Synfleet SHPD 10W-40 | Multifleet SHPD 10W-40 | |

Change every 50 hours

DIFFERENTIAL FRONT LIMITED SLIP

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|--------------------------------|---------------------------|-------------------------------------|
| Gearlube Racing 75W-140 | Gearlube LS 80W-90 | Unigear LS GL-3/GL-5 85W-140 |

Change every 1000 hours/ 6 months

DIFFERENTIAL REAR LIMITED SLIP

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|--------------------------------|---------------------------|-------------------------------------|
| Gearlube Racing 75W-140 | Gearlube LS 80W-90 | Unigear LS GL-3/GL-5 85W-140 |

Change every 1000 hours/ 6 months

HYUNDAI WHEELED LOADERS HL HL17

CUMMINS 6BT5.9 (1997-1998)



HUB REDUCTIONS FRONT

| USE | | CLIMATE |
|--------------------------------|---------------------------|-------------------------------------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Gearlube Racing 75W-140 | Gearlube LS 80W-90 | Unigear LS GL-3/GL-5 85W-140 |

Change every 1000 hours/ 6 months

HUB REDUCTIONS REAR

| USE | | CLIMATE |
|--------------------------------|---------------------------|-------------------------------------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
| Gearlube Racing 75W-140 | Gearlube LS 80W-90 | Unigear LS GL-3/GL-5 85W-140 |

Change every 1000 hours/ 6 months

TRANSMISSION Powershift

| USE | | CLIMATE |
|--------------------------|--|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| ATF Dexron II-D | | |

Change every 1000 hours/ 6 months

HYDRAULIC SYSTEM

| USE | | CLIMATE |
|--------------------------|--|---------------|
| Normal | | Mediterranean |
| PRODUCT RECOMMENDATION 1 | | |
| Perlus H 68 | | |

Change every 2000 hours/ 12 months

| USE | | CLIMATE |
|--------------------------|--------------------------|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Perlus H 46 | Perlus H 32 | |

Change every 2000 hours/ 12 months

HYUNDAI WHEELED LOADERS HL HL17

CUMMINS 6BT5.9 (1997-1998)



GREASE POINTS/NIPPLES

| USE | | CLIMATE |
|--------|--|---------------|
| Normal | | Mediterranean |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|--------------------------|---------------------------------|------------------------------|
| Labora Grease | Q5 MP Calcep Grease EP 2 | MP Lithep Grease EP 2 |

| USE | | CLIMATE |
|--------|--|---------|
| Normal | | Cold |

| PRODUCT RECOMMENDATION 1 | | |
|--------------------------|--|--|
| Gear Grease EP 1 | | |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.