HYUNDAI SKID STEER LOADERS HSL HSL850-7 KUBOTA V3300DI (2010 AND



AFTER)

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 | |
|--------------------------|--------------------------|--------------------------|--|
| Normal | | Moderate | |
| USE | | CLIMATE | |
| Capacity: 13,2 liter | | CLIMATE | |

| HYDRAULIC SYSTEM Capacity: 68 liter (System), Capacity: 56 liter (Tank) | | | |
|---|--------------------------|---------------|--|
| USE | | CLIMATE | |
| Normal | | Mediterranean | |
| PRODUCT RECOMMENDATION 1 | | | |
| Perlus H 68 | | | |
| USE | | CLIMATE | |
| Normal | | Moderate | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Perlus H 46 | Perlus H 32 | | |

| GREASE POINTS/NIPPLES | | | | |
|--------------------------|--------------------------|--------------------------|--|--|
| USE | | CLIMATE | | |
| Normal | | Mediterranean | | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 | | |
| Labora Grease | Q5 MP Calcep Grease EP 2 | MP Lithep Grease EP 2 | | |
| USE | | CLIMATE | | |
| Normal | | Moderate | | |
| PRODUCT RECOMMENDATION 1 | | | | |
| Gear Grease EP 1 | | | | |

| COOLING SYSTEM Capacity: 10,3 liter | | | |
|-------------------------------------|--------------------------|---------------------|--|
| use Normal | | climate Moderate | |
| | | | |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | | |
| Coolant -38 Organic NF | Coolant -26 | | |

PRODUCT RECOMMENDATION

HYUNDAI SKID STEER LOADERS HSL HSL850-7 KUBOTA V3300DI (2010 AND



AFTER)

| CHAIN CASE Capacity: 9,2 liter (each side) | |
|---|----------|
| USE | CLIMATE |
| Normal | Moderate |
| PRODUCT RECOMMENDATION 1 | |
| Multifleet SHPD 15W-40 | |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.