JUNGHEINRICH FORKLIFT TRUCKS, ELECTRIC EFG EFG 115 (2004-2009)



TRANSMISSION Capacity: 4,15 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Agrifluid HT-Plus	SP Gear 5015	Gearlube GL-4 80W

Change every 1000 hours/ 12 months

HYDRAULIC SYSTEM Capacity: 14,5 liter		
USE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1		
Perlus H 68		
Check every 1000 hours, change ev	ery 12 months/ 2000 hours	·
USE		CLIMATE
Normal		Maditarranaan

Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Perlus H 32	

Check every 1000 hours, change every 12 months/ 2000 hours

USE	CLIMATE
Normal	Cold
PRODUCT RECOMMENDATION 1	
Perlus H 22	

Check every 1000 hours, change every 12 months/ 2000 hours

HYDRAULIC BRAKE SYSTEM Capacity: 0,4 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3
Change every 2000 hours/ 12 months	- '	

JUNGHEINRICH FORKLIFT TRUCKS, ELECTRIC EFG EFG 115 (2004-2009)



GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2
Change every 1000 hours/ 12 mont	ths	

WHEEL BEARINGS		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

Change every 2000 hours/ 12 months

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.