

KATO TELESCOPIC ALL TERRAIN CRANES

KA-900, SUPERSTRUCTURE



HYDRAULIC SYSTEM

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Perlus H 68	Perlus AF 100	

Change every 2000 hours/ 24 months

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Perlus H 46	Perlus H 32	

Change every 2000 hours/ 24 months

BEARINGS

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

BOOM

We are unable to give a standard recommendation for this component. Please contact our service department.

KATO TELESCOPIC ALL TERRAIN CRANES

KA-900, SUPERSTRUCTURE



SWING REDUCTION UNIT

USE	CLIMATE
Normal	Tropical

PRODUCT RECOMMENDATION 1
Gearlube GL-5 85W-140
Change every 1000 hours/ 12 months

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1
Gearlube GL-5 80W-90
PRODUCT RECOMMENDATION 2
Unigear HS GL-3/GL-5 80W-90
Change every 1000 hours/ 12 months

USE	CLIMATE
Initial service	Tropical

PRODUCT RECOMMENDATION 1
Gearlube GL-5 85W-140
Change every 300 hours

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1
Gearlube GL-5 80W-90
PRODUCT RECOMMENDATION 2
Unigear HS GL-3/GL-5 80W-90
Change every 300 hours

KATO TELESCOPIC ALL TERRAIN CRANES

KA-900, SUPERSTRUCTURE



WINCH REDUCTION UNIT

USE	CLIMATE
Normal	Mediterranean

PRODUCT RECOMMENDATION 1
Gearlube GL-5 85W-140
Change every 1000 hours/ 12 months

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1
Gearlube GL-5 80W-90
PRODUCT RECOMMENDATION 2
Unigear HS GL-3/GL-5 80W-90
Change every 1000 hours/ 12 months

USE	CLIMATE
Initial service	Mediterranean

PRODUCT RECOMMENDATION 1
Gearlube GL-5 85W-140
Change every 300 hours

USE	CLIMATE
Initial service	Moderate

PRODUCT RECOMMENDATION 1
Gearlube GL-5 80W-90
PRODUCT RECOMMENDATION 2
Unigear HS GL-3/GL-5 80W-90
Change every 300 hours

WIRE ROPES

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1
Compound OGL

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.