

# KOBELCO TRACKED EXCAVATORS

## SK300LC-III MITSUBISHI 6D22-T (1994-1996)



### ENGINE Mitsubishi 6D22-T

USE	CLIMATE
Normal	Tropical

#### PRODUCT RECOMMENDATION 1

**Multifleet SCD 40**

*Change every 500 hours*

USE	CLIMATE
Normal	Mediterranean

#### PRODUCT RECOMMENDATION 1

**Dieselfleet CD+ 15W-40**

#### PRODUCT RECOMMENDATION 2

**Multifleet SHPD 15W-40**

#### PRODUCT RECOMMENDATION 3

**Multifleet SCD 30**

*Change every 500 hours*

USE	CLIMATE
Normal	Cold

#### PRODUCT RECOMMENDATION 1

**Kroontrak MTH 10W-30**

#### PRODUCT RECOMMENDATION 2

**Synfleet SHPD 10W-40**

#### PRODUCT RECOMMENDATION 3

**Multifleet SHPD 10W-40**

*Change every 500 hours*

### HYDRAULIC SYSTEM

USE	CLIMATE
Normal	Mediterranean

#### PRODUCT RECOMMENDATION 1

**Perlus H 46**

#### PRODUCT RECOMMENDATION 2

**Perlus H 68**

*Change every 2000 hours*

USE	CLIMATE
Normal	Moderate

#### PRODUCT RECOMMENDATION 1

**Perlus H 32**

*Change every 2000 hours*

### IDLERS

USE	CLIMATE
Normal	Moderate

#### PRODUCT RECOMMENDATION 1

**Multifleet SCD 30**

*Change every 2000 hours*

# KOBELCO TRACKED EXCAVATORS

## SK300LC-III MITSUBISHI 6D22-T (1994-1996)



### LOWER ROLLERS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 30</b>		
<i>Change every 2000 hours</i>		

### OPERATING LEVER JOINTS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Labora Grease</b>	<b>Q5 MP Calcep Grease EP 2</b>	<b>MP Lithep Grease EP 2</b>

### PINS FOR ATTACHMENTS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Labora Grease</b>	<b>Q5 MP Calcep Grease EP 2</b>	<b>MP Lithep Grease EP 2</b>

### SWING GEAR PUMP

We are unable to give a standard recommendation for this component. Please contact our service department.

### SWING INTERNAL GEAR

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Labora Grease</b>	<b>Q5 MP Calcep Grease EP 2</b>	<b>MP Lithep Grease EP 2</b>

### SWING REDUCTION UNIT

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 30</b>		
<i>Change every 2000 hours</i>		

# KOBELCO TRACKED EXCAVATORS

## SK300LC-III MITSUBISHI 6D22-T (1994-1996)



### TRACK ADJUSTER

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
<b>Labora Grease</b>	<b>Q5 MP Calcep Grease EP 2</b>	<b>MP Lithep Grease EP 2</b>

### TRAVEL REDUCTION UNIT

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 30</b>		

*Change every 2000 hours*

### UPPER ROLLERS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
<b>Multifleet SCD 30</b>		

*Change every 2000 hours*

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*