KOMATSU FORKLIFT TRUCKS, DIESEL FD FD18H-IE



ENGINE Perkins KR104-22	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Synfleet SHPD 10W-40	
Change every 200 hours	
-	
TRANSAXLE	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
ATF Dexron II-D	
Change every 6 months/ 1200 hours	
USE	CLIMATE
Initial service	Moderate
PRODUCT RECOMMENDATION 1 ATF Dexron II-D	
Change every 200 hours	
HYDRAULIC SYSTEM	
USE	CLIMATE
Normal	Tropical
PRODUCT RECOMMENDATION 1	- Paragraphic Control of the Control
Perlus H 68	
Change every 6 months/ 1200 hours	
USE	CLIMATE
Normal	Mediterranean
PRODUCT RECOMMENDATION 1	
Perlus H 46	
Change every 6 months/ 1200 hours	
USE	 CLIMATE
Normal	Cold
PRODUCT RECOMMENDATION 1	
Perlus H 22	

Change every 6 months/ 1200 hours

KOMATSU FORKLIFT TRUCKS, DIESEL FD FD18H-IE



use Initial service	climate Tropical
PRODUCT RECOMMENDATION 1	
Perlus H 68	
Change every 200 hours	
USE	CLIMATE
Initial service	Mediterranean
PRODUCT RECOMMENDATION 1	
Perlus H 46	
Change every 200 hours	
USE	CLIMATE
Initial service	Cold
PRODUCT RECOMMENDATION 1	
Perlus H 22	
Change every 200 hours	

HYDRAULIC BRAKE SYSTEM		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Drauliquid-LV Super DOT 4	Drauliquid-S DOT 4	Drauliquid DOT 3
Change every 6 months/ 1200 hours		'

HUB BEARINGS		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

INCHING CONTROL

We are unable to give a standard recommendation for this component. Please contact our service department.

LIFT CHAINS	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
HDX 30	

KOMATSU FORKLIFT TRUCKS, DIESEL FD FD18H-IE



NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

ROLLERS		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.