

JSE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	
Change every 6 months/ 1200 hours		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube GL-5 85W-140		
Change every 6 months/ 1200 hours		
USE		CLIMATE
Normal		Cold
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
SP Gear 5015	SP Gear 1071	
Change every 6 months/ 1200 hours		
USE		CLIMATE
Initial service		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Gearlube GL-5 80W-90	Unigear HS GL-3/GL-5 80W-90	
Change every 200 hours		
USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube GL-5 85W-140		
Change every 200 hours		
USE		CLIMATE
Initial service		Cold
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
CD Coor FO4F	SP Gear 1071	
SP Gear 5015		

HYDRAULIC SYSTEM		
USE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
HDX 20W-20	Perlus H 68	
Change every 6 months/ 1200 hours		



USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Perlus H 46		
Change every 6 months/ 1200 hours		
USE		CLIMATE
Normal		Cold
PRODUCT RECOMMENDATION 1		
Perlus H 32		
Change every 6 months/ 1200 hours		
USE		CLIMATE
Normal		Arctic
PRODUCT RECOMMENDATION 1		
HDX 10W		
Change every 6 months/ 1200 hours		
USE		CLIMATE
Initial service		Tropical
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
LIDY COM CO	l <b>_</b>	
HDX 20W-20	Perlus H 68	
Change every 200 hours	Perlus H 68	
	Perlus H 68	CLIMATE
Change every 200 hours	Perlus H 68	CLIMATE  Mediterranean
Change every 200 hours USE	Perlus H 68	
Change every 200 hours  use Initial service	Perlus H 68	
Change every 200 hours  USE Initial service PRODUCT RECOMMENDATION 1	Perlus H 68	
Change every 200 hours  USE Initial service  PRODUCT RECOMMENDATION 1  Perlus H 46	Perlus H 68	
Change every 200 hours  USE Initial service  PRODUCT RECOMMENDATION 1  Perlus H 46  Change every 200 hours	Perlus H 68	Mediterranean
Change every 200 hours  USE Initial service  PRODUCT RECOMMENDATION 1  Perlus H 46  Change every 200 hours  USE	Perlus H 68	Mediterranean
Change every 200 hours  USE Initial service  PRODUCT RECOMMENDATION 1  Perlus H 46  Change every 200 hours  USE Initial service	Perlus H 68	Mediterranean
Change every 200 hours  USE Initial service  PRODUCT RECOMMENDATION 1  Perlus H 46  Change every 200 hours  USE Initial service  PRODUCT RECOMMENDATION 1	Perlus H 68	Mediterranean
Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 46  Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 32	Perlus H 68	Mediterranean
Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 46  Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 32  Change every 200 hours	Perlus H 68	Mediterranean  CLIMATE  Cold
Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 46  Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 32  Change every 200 hours  USE	Perlus H 68	Mediterranean  CLIMATE  COId  CLIMATE
Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 46  Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 32  Change every 200 hours  USE Initial Service	Perlus H 68	Mediterranean  CLIMATE  COId  CLIMATE
Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 46  Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1  Perlus H 32  Change every 200 hours  USE Initial Service  PRODUCT RECOMMENDATION 1	Perlus H 68	Mediterranean  CLIMATE  COId  CLIMATE



HYDRAULIC BRAKE SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Drauliquid DOT 3	
Change every 6 months/ 1200 hours	·

ELECTRIC DRIVE MOTORS			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
Labora Grease	Multi Purpose Grease 3		

HUB BEARINGS NIPPLES LIFT ROLLERS		
	CLIMATE	
	Moderate	
PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3	
Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2	
	PRODUCT RECOMMENDATION 2	

SPLINED SHAFTS	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
MoS2 Grease EP 2	



STEERING GEAR FULL HYDROSTATIC	FROM HYDRAULIC SYSTEM	
USE		CLIMATE
Normal		Tropical
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
HDX 20W-20	Perlus H 68	
USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Perlus H 46		
USE		CLIMATE
Normal		Cold
PRODUCT RECOMMENDATION 1		
Perlus H 32		
USE		CLIMATE
		CLIMATE
Normal		Arctic
PRODUCT RECOMMENDATION 1		
HDX 10W		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.