

KOMATSU SKID STEER LOADERS CK/SK

CK30-1 KOMATSU S4D98E-2NFE (2005-2012)



ENGINE Komatsu S4D98E-2
Capacity: 12,5 liter

USE		CLIMATE
Normal		Mediterranean

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Multifleet SCD 40	Multifleet SCD 30	

USE		CLIMATE
Normal		Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Kroontrak MTH 10W-30	Synfleet SHPD 10W-40	Multifleet SHPD 10W-40

USE		CLIMATE
Normal		Cold

PRODUCT RECOMMENDATION 1		
Multifleet SCD 10W		

HYDRAULIC SYSTEM
Capacity: 50 liter (Initial fill)

USE		CLIMATE
Normal		Moderate

PRODUCT RECOMMENDATION 1		
Multifleet SCD 10W		

USE		CLIMATE
Alternative (acceptable)		Moderate

PRODUCT RECOMMENDATION 1		
Perlus Biosynth 32		

GREASE POINTS/NIPPLES

USE		CLIMATE
Normal		Moderate

PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		

KOMATSU SKID STEER LOADERS CK/SK

CK30-1 KOMATSU S4D98E-2NFE (2005-2012)



COOLING SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	Coolant SP 12	

TRAVEL REDUCTION UNIT

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Kroontrak MTH 10W-30	Synfleet SHPD 10W-40	Multifleet SHPD 10W-40

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.