

# LINDE FORKLIFT TRUCKS, DIESEL (394 SERIES) H40 D 394-01 / VW BJC (2004 AND AFTER)



**ENGINE BJC**  
Capacity: 4,5 liter

USE  
Normal

CLIMATE  
Moderate

PRODUCT RECOMMENDATION 1  
**Multifleet SHPD 15W-40**

*Change every 500 hours*

USE  
Normal (alternative)

CLIMATE  
Moderate

PRODUCT RECOMMENDATION 1  
**Kroontrak MTH 10W-30**

PRODUCT RECOMMENDATION 2  
**Synfleet SHPD 10W-40**

PRODUCT RECOMMENDATION 3  
**Dieselfleet CD+ 15W-40**

*Change every 300 hours*

**HYDRAULIC SYSTEM**  
Capacity: 27,8 liter (Hydraulic system)

USE  
Normal

CLIMATE  
Moderate

PRODUCT RECOMMENDATION 1  
**Perlus H 68**

PRODUCT RECOMMENDATION 2  
**Perlus AF 68**

*Check every 10 hours, change every 36 months/ 6000 hours*

USE  
Severe

CLIMATE  
Moderate

PRODUCT RECOMMENDATION 1  
**Perlus H 68**

PRODUCT RECOMMENDATION 2  
**Perlus AF 100**

*Check every 10 hours, change every 36 months/ 6000 hours*

USE  
Biodegradable oil

CLIMATE  
Moderate

PRODUCT RECOMMENDATION 1  
**Perlus Biosynth 46**

*Check every 10 hours, change every 36 months/ 6000 hours*

## GREASE POINTS/NIPPLES

USE  
Normal

CLIMATE  
Moderate

PRODUCT RECOMMENDATION 1  
**MoS2 Grease EP 2**

# LINDE FORKLIFT TRUCKS, DIESEL (394 SERIES) H40 D 394-01 / VW BJC (2004 AND AFTER)



## COOLING SYSTEM

Capacity: 8,5 liter, Capacity: 10 liter (+ heater)

USE	CLIMATE
Normal	Moderate

### PRODUCT RECOMMENDATION 1

<b>Coolant SP 12</b>		
----------------------	--	--

Check every 10 hours, change every 48 months/ 9000 hours

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*