PRODUCT RECOMMENDATION

LINDE REACH STACKERS (024 SERIES) C4127TL

ENGINE Scania DI 1240A		
USE Normal		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Agridiesel CRD+ 15W-40**	**PRODUCT RECOMMENDATION 2** **Kroontrak MTH 10W-30**	**PRODUCT RECOMMENDATION 3** **Asyntho 5W-30**
Change every 500 hours		
USE Initial service		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Agridiesel CRD+ 15W-40**	**PRODUCT RECOMMENDATION 2** **Kroontrak MTH 10W-30**	**PRODUCT RECOMMENDATION 3** **Asyntho 5W-30**
Change every 50 hours		

ENGINE Scania DI 1252A		
USE Normal		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Agridiesel CRD+ 15W-40**	**PRODUCT RECOMMENDATION 2** **Kroontrak MTH 10W-30**	**PRODUCT RECOMMENDATION 3** **Asyntho 5W-30**
Change every 500 hours		
USE Initial service		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Agridiesel CRD+ 15W-40**	**PRODUCT RECOMMENDATION 2** **Kroontrak MTH 10W-30**	**PRODUCT RECOMMENDATION 3** **Asyntho 5W-30**
Change every 50 hours		

ENGINE Scania DS11 66A		
USE Normal		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Agridiesel CRD+ 15W-40**	**PRODUCT RECOMMENDATION 2** **Kroontrak MTH 10W-30**	**PRODUCT RECOMMENDATION 3** **Asyntho 5W-30**
Change every 500 hours		
USE Initial service		**CLIMATE** Moderate
PRODUCT RECOMMENDATION 1 **Agridiesel CRD+ 15W-40**	**PRODUCT RECOMMENDATION 2** **Kroontrak MTH 10W-30**	**PRODUCT RECOMMENDATION 3** **Asyntho 5W-30**
Change every 50 hours		

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

LINDE REACH STACKERS (024 SERIES) C4127TL

DIFFERENTIAL

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube HS GL-5 80W-140		

Change every 2000 hours

GEARBOX

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Multifleet SCD 10W	**Gear Oil Alcat 10W**	**ATF Dexron II-D**

Change every 1000 hours

USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Multifleet SCD 10W	**Gear Oil Alcat 10W**	**ATF Dexron II-D**

Change every 50 hours

HYDRAULIC SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 46		

Change every 3000 hours

HYDRAULIC BRAKE SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 46		

Change every 3000 hours

GREASE POINTS/NIPPLES

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	**Q5 MP Calcep Grease EP 2**	**MP Lithep Grease EP 2**

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

LINDE REACH STACKERS (024 SERIES) C4127TL

COOLING SYSTEM

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant -38 Organic NF	**Coolant -26**	

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367