

# NEW HOLLAND WHEELED EXCAVATORS

## MH/WE WE170B CNH F4GE9684D\*J602 EU

### STAGE 3A (2010-2015)



**ENGINE** CNH F4GE9684D  
Capacity: 15 liter

| USE                          |                               | CLIMATE                       |
|------------------------------|-------------------------------|-------------------------------|
| Normal                       |                               | Moderate                      |
| PRODUCT RECOMMENDATION 1     | PRODUCT RECOMMENDATION 2      | PRODUCT RECOMMENDATION 3      |
| <b>Agridiesel MSP 15W-40</b> | <b>Agridiesel CRD+ 15W-40</b> | <b>Dieselfleet CD+ 15W-40</b> |

**DIFFERENTIAL FRONT**  
Capacity: 9,5 liter

| USE                                 |  | CLIMATE  |
|-------------------------------------|--|----------|
| Normal                              |  | Moderate |
| PRODUCT RECOMMENDATION 1            |  |          |
| <b>Unigear LS GL-3/GL-5 85W-140</b> |  |          |

**DIFFERENTIAL REAR**  
Capacity: 12 liter

| USE                                 |  | CLIMATE  |
|-------------------------------------|--|----------|
| Normal                              |  | Moderate |
| PRODUCT RECOMMENDATION 1            |  |          |
| <b>Unigear LS GL-3/GL-5 85W-140</b> |  |          |

**HUB REDUCTIONS FRONT**  
Capacity: 2,5 liter

| USE                                 |  | CLIMATE  |
|-------------------------------------|--|----------|
| Normal                              |  | Moderate |
| PRODUCT RECOMMENDATION 1            |  |          |
| <b>Unigear LS GL-3/GL-5 85W-140</b> |  |          |

**HUB REDUCTIONS REAR**  
Capacity: 2,5 liter

| USE                                 |  | CLIMATE  |
|-------------------------------------|--|----------|
| Normal                              |  | Moderate |
| PRODUCT RECOMMENDATION 1            |  |          |
| <b>Unigear LS GL-3/GL-5 85W-140</b> |  |          |

# NEW HOLLAND WHEELED EXCAVATORS

## MH/WE WE170B CNH F4GE9684D\*J602 EU

### STAGE 3A (2010-2015)

**TRANSMISSION POWERSHIFT**

Capacity: 2,5 liter

| USE                          |                               | CLIMATE                       |
|------------------------------|-------------------------------|-------------------------------|
| Normal                       |                               | Moderate                      |
| PRODUCT RECOMMENDATION 1     | PRODUCT RECOMMENDATION 2      | PRODUCT RECOMMENDATION 3      |
| <b>Agridiesel MSP 15W-40</b> | <b>Agridiesel CRD+ 15W-40</b> | <b>Dieselfleet CD+ 15W-40</b> |

**HYDRAULIC SYSTEM**

Capacity: 215 liter (System including tank (mono articulation)), Capacity: 230 liter (System including tank (triple articulation)), Capacity: 160 liter (Tank)

| USE                      |  | CLIMATE       |
|--------------------------|--|---------------|
| Normal                   |  | Mediterranean |
| PRODUCT RECOMMENDATION 1 |  |               |
| <b>Perlus H 68</b>       |  |               |

**COOLING SYSTEM**

Capacity: 11 liter

| USE                      |                          | CLIMATE  |
|--------------------------|--------------------------|----------|
| Normal                   |                          | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |          |
| <b>Coolant SP 15+</b>    | <b>Coolant SP 12</b>     |          |

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.