

NEW HOLLAND WHEELED LOADERS LW/W W170 CNH F4HE0684J EU STAGE 2 / TIER 2 (2005-2007)



ENGINE CNH F4HE0684J
Capacity: 15 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Agridiesel MSP 15W-40****PRODUCT RECOMMENDATION 2****Agridiesel CRD+ 15W-40****PRODUCT RECOMMENDATION 3****Dieselfleet CD+ 15W-40****DIFFERENTIAL FRONT**

Capacity: 32 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Unigear LS GL-3/GL-5 85W-140***Change every 1000 hours***DIFFERENTIAL REAR**

Capacity: 27 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Unigear LS GL-3/GL-5 85W-140***Change every 1000 hours***TRANSMISSION POWERSHIFT 4/3**

Capacity: 22 liter

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Kroontrak MTH 10W-30****PRODUCT RECOMMENDATION 2****Synfleet SHPD 10W-40****PRODUCT RECOMMENDATION 3****Multifleet SHPD 10W-40***Change every 1000 hours***HYDRAULIC SYSTEM**

Capacity: 109 liter (Tank), Capacity: 193 liter (Total)

USE

Normal

CLIMATE

Moderate

PRODUCT RECOMMENDATION 1**Perlus Biosynth 46****PRODUCT RECOMMENDATION 2****Perlus H 46***Change every 2000 hours*

NEW HOLLAND WHEELED LOADERS LW/W W170 CNH F4HE0684J EU STAGE 2 / TIER 2 (2005-2007)



GREASE POINTS/NIPPLES

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		

COOLING SYSTEM

Capacity: 26 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Coolant SP 15+	Coolant SP 12	

Change every 2000 hours

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.