SANDERSON ROUGH TERRAIN FORKLIFT TRUCKS 75 - 2WD



ENGINE Ford			
USE	CLIMATE		
Normal	Moderate		
PRODUCT RECOMMENDATION 1			
Dieselfleet CD+ 15W-40			
Change every 250 hours			

DIFFERENTIAL FRONT

USE

Normal

Moderate

PRODUCT RECOMMENDATION 1

Agrifluid HT

Change every 1000 hours/ 12 months

TE
erate

Change every 1000 hours/ 12 months

TORQUE CONVERTER Ford		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
ATF Dexron II-D	ATF-A	
Change every 750 hours	,	

TRANSMISSION MANUAL		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Agrifluid HT		
Change every 750 hours		

SANDERSON ROUGH TERRAIN FORKLIFT TRUCKS 75 - 2WD



TRANSMISSION POWER REVERSING		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
ATF Dexron II-D	ATF-A	
Change every 750 hours		

HYDRAULIC SYSTEM	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Perlus H 46	

Change every 1000 hours/ 12 months

POWER STEERING			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2		
ATF Dexron II-D	ATF-A		

GREASE POINTS/NIPPLES		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

CLUTCH RELEASE BEARING	
USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
MoS2 Grease EP 2	

CLIMATE
Moderate

PRODUCT RECOMMENDATION

SANDERSON ROUGH TERRAIN FORKLIFT TRUCKS 75 - 2WD



PUMP DRIVE SHAFT BEARINGS			
USE		CLIMATE	
Normal		Moderate	
PRODUCT RECOMMENDATION 1			
MoS2 Grease EP 2			

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.