

YALE GAFFELTRUCK, DIESEL GDP 165 HUB



MOTOR Mazda ZB

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
HDX 30		

Skift alle 1 måneder/ 200 timer

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
HDX 20W-20		

Skift alle 1 måneder/ 200 timer

ANVEND	KLIMA
Første Service	Tropisk

PRODUKTANBEFALING 1		
HDX 30		

Skift alle 50 timer/ 1 uge

ANVEND	KLIMA
Første Service	Middelhavsagtigt

PRODUKTANBEFALING 1		
HDX 20W-20		

Skift alle 50 timer/ 1 uge

DIFFERENTIALE

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

GEAR + MOMENTOMFORMER

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
ATF Dexron II-D		

YALE GAFFELTRUCK, DIESEL GDP 165 HUB



NAVREDUKTIONER

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Unigear LS GL-3/GL-5 85W-140		

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	
Gearlube GL-4 80W-90	Unigear HS GL-3/GL-5 80W-90	

HYDRAULIKSYSTEM SERVOSTYRING

ANVEND	KLIMA
Normal	Tropisk

PRODUKTANBEFALING 1		
Perlus H 68		

Skift alle 6 måneder/ 1200 timer

ANVEND	KLIMA
Normal	Middelhavsagtigt

PRODUKTANBEFALING 1		
Perlus H 32		

Skift alle 6 måneder/ 1200 timer

ANVEND	KLIMA
Normal	Arktisk

PRODUKTANBEFALING 1		
Perlus H 22		

Skift alle 6 måneder/ 1200 timer

HYDRAULISK BREMSESYSTEM

ANVEND	KLIMA
Normal	Moderat

PRODUKTANBEFALING 1		
Drauliquid DOT 3		

Skift alle 6 måneder/ 1200 timer

YALE GAFFELTRUCK, DIESEL GDP 165 HUB



SMØREPUNKTER/NIPLER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

SMØREPUNKTER/NIPLER LEDDELT AKSEL

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1		
MoS2 Grease EP 2		

SMØREPUNKTER/NIPLER LEJER

ANVEND		KLIMA
Normal		Moderat
PRODUKTANBEFALING 1	PRODUKTANBEFALING 2	PRODUKTANBEFALING 3
Labora Grease	Q5 MP Calcep Grease EP 2	MP Lithep Grease EP 2

HYDROMASTER-BREMSER

Vi kan desværre ikke give en standardanbefaling til denne komponent. Kontakt venligst vores serviceafdeling.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.