

# YALE FORKLIFT TRUCKS, LPG/PETROL GLP 50 MF

**ENGINE** Chrysler H239

| USE    | CLIMATE       |
|--------|---------------|
| Normal | Mediterranean |

PRODUCT RECOMMENDATION 1

**HDX 30***Change every 1 months/ 200 hours*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Kroontrak MTH 10W-30***Change every 1 months/ 200 hours*

| USE             | CLIMATE       |
|-----------------|---------------|
| Initial service | Mediterranean |

PRODUCT RECOMMENDATION 1

**HDX 30***Change every 50 hours/ 1 week*

| USE             | CLIMATE  |
|-----------------|----------|
| Initial service | Moderate |

PRODUCT RECOMMENDATION 1

**Kroontrak MTH 10W-30***Change every 50 hours/ 1 week***DIFFERENTIAL**

| USE    | CLIMATE  |
|--------|----------|
| Normal | Tropical |

PRODUCT RECOMMENDATION 1

**Unigear LS GL-3/GL-5 85W-140***Change every 12 months/ 2400 hours*

| USE    | CLIMATE  |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

**Gearlube GL-4 80W-90**

PRODUCT RECOMMENDATION 2

**Unigear HS GL-3/GL-5 80W-90***Change every 12 months/ 2400 hours*

# YALE FORKLIFT TRUCKS, LPG/PETROL GLP 50 MF



## TRANSMISSION AUTOMATIC

| USE                                      |  | CLIMATE  |
|--|--|----------|
| Normal                                   |  | Moderate |
| PRODUCT RECOMMENDATION 1                 |  |          |
| <b>ATF Dexron II-D</b>                   |  |          |
| <i>Change every 6 months/ 1200 hours</i> |  |          |

## TRANSMISSION MANUAL

| USE                                      |  | CLIMATE  |
|--|--|----------|
| Normal                                   |  | Tropical |
| PRODUCT RECOMMENDATION 1                 |  |          |
| <b>Unigear LS GL-3/GL-5 85W-140</b>      |  |          |
| <i>Change every 6 months/ 1200 hours</i> |  |          |

| USE                                      |                                    | CLIMATE  |
|--|------------------------------------|----------|
| Normal                                   |                                    | Moderate |
| PRODUCT RECOMMENDATION 1                 | PRODUCT RECOMMENDATION 2           |          |
| <b>Gearlube GL-4 80W-90</b>              | <b>Unigear HS GL-3/GL-5 80W-90</b> |          |
| <i>Change every 6 months/ 1200 hours</i> |                                    |          |

## HYDRAULIC SYSTEM WITH AUTOMATIC TRANSMISSION

| USE                                      |  | CLIMATE  |
|--|--|----------|
| Normal                                   |  | Moderate |
| PRODUCT RECOMMENDATION 1                 |  |          |
| <b>Perlus H 46</b>                       |  |          |
| <i>Change every 6 months/ 1200 hours</i> |  |          |

## HYDRAULIC SYSTEM WITH MANUAL TRANSMISSION

| USE                                      |  | CLIMATE  |
|--|--|----------|
| Normal                                   |  | Moderate |
| PRODUCT RECOMMENDATION 1                 |  |          |
| <b>Perlus H 32</b>                       |  |          |
| <i>Change every 6 months/ 1200 hours</i> |  |          |

# YALE FORKLIFT TRUCKS, LPG/PETROL GLP 50 MF



## HYDRAULIC BRAKE SYSTEM

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Normal                   |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Drauliquid DOT 3</b>  |  |          |

*Change every 6 months/ 1200 hours*

## GREASE POINTS/NIPPLES

| USE                      |                                 | CLIMATE                      |
|--------------------------|---------------------------------|------------------------------|
| Normal                   |                                 | Moderate                     |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2        | PRODUCT RECOMMENDATION 3     |
| <b>Labora Grease</b>     | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

## GREASE POINTS/NIPPLES BEARINGS

| USE                      |                                 | CLIMATE                      |
|--------------------------|---------------------------------|------------------------------|
| Normal                   |                                 | Moderate                     |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2        | PRODUCT RECOMMENDATION 3     |
| <b>Labora Grease</b>     | <b>Q5 MP Calcep Grease EP 2</b> | <b>MP Lithep Grease EP 2</b> |

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*