PRODUCT RECOMMENDATION

ATLAS WEYHAUSEN (WEYCOR) WHEELED LOADERS AR AR60 PERKINS 404C-T22 (2004-2007)

ENGINE Perkins 404C-22T		
USE Normal		CLIMATE Mediterranean
PRODUCT RECOMMENDATION 1 **Agridiesel MSP 15W-40**	PRODUCT RECOMMENDATION 2 **Agridiesel CRD+ 15W-40**	PRODUCT RECOMMENDATION 3 **Dieselfleet CD+ 15W-40**
Change every 250 hours/ 3 months		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Kroontrak MTH 10W-30**	PRODUCT RECOMMENDATION 2 **Synfleet SHPD 10W-40**	PRODUCT RECOMMENDATION 3 **Armado Synth 5W-30**
Change every 250 hours/ 3 months		
USE Initial service		CLIMATE Mediterranean
PRODUCT RECOMMENDATION 1 **Agridiesel MSP 15W-40**	PRODUCT RECOMMENDATION 2 **Agridiesel CRD+ 15W-40**	PRODUCT RECOMMENDATION 3 **Dieselfleet CD+ 15W-40**
Change every 50 hours		
USE Initial service		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Kroontrak MTH 10W-30**	PRODUCT RECOMMENDATION 2 **Synfleet SHPD 10W-40**	PRODUCT RECOMMENDATION 3 **Armado Synth 5W-30**
Change every 50 hours		

DIFFERENTIAL		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Gearlube LS 80W-90**		
Change every 1500 hours/ 12 months		
USE Initial service		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Gearlube LS 80W-90**		
Change every 500 hours		

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

ATLAS WEYHAUSEN (WEYCOR) WHEELED LOADERS AR AR60 PERKINS 404C-T22 (2004-2007)

TRANSMISSION

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube LS 80W-90		

Change every 1500 hours/ 12 months

USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube LS 80W-90		

Change every 500 hours

HYDRAULIC SYSTEM

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 46		

Change every 12 months

USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 46		

Change every 1500 hours

HYDROSTATIC DRIVE

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 46		

Change every 12 months

USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Perlus H 46		

Change every 1500 hours

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

ATLAS WEYHAUSEN (WEYCOR) WHEELED LOADERS AR AR60 PERKINS 404C-T22 (2004-2007)

GREASE POINTS/NIPPLES

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		

BRAKE SYSTEM RESERVOIR

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		

Change every 1500 hours/ 12 months

USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
ATF Dexron II-D		

Change every 500 hours

PLAIN BEARINGS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		

ROLLING CONTACT BEARINGS

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
MoS2 Grease EP 2		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367