

# CATERPILLAR WHEELED LOADERS IT14G

## CATERPILLAR 3054T (1995-2004)



**ENGINE** 3054C T  
Capacity: 7 liter

| USE                           |                               | CLIMATE                       |
|-------------------------------|-------------------------------|-------------------------------|
| Extended drain (max)          |                               | Mediterranean                 |
| PRODUCT RECOMMENDATION 1      | PRODUCT RECOMMENDATION 2      | PRODUCT RECOMMENDATION 3      |
| <b>Agridiesel CRD+ 15W-40</b> | <b>Dieselfleet CD+ 15W-40</b> | <b>Multifleet SHPD 15W-40</b> |

| USE                         |                               | CLIMATE  |
|-----------------------------|-------------------------------|----------|
| Extended drain (max)        |                               | Moderate |
| PRODUCT RECOMMENDATION 1    | PRODUCT RECOMMENDATION 2      |          |
| <b>Agrisynth LSP 10W-40</b> | <b>Multifleet SHPD 10W-40</b> |          |

| USE                           |                               | CLIMATE       |
|-------------------------------|-------------------------------|---------------|
| Normal                        |                               | Mediterranean |
| PRODUCT RECOMMENDATION 1      | PRODUCT RECOMMENDATION 2      |               |
| <b>Agridiesel CRD+ 15W-40</b> | <b>Multifleet SHPD 15W-40</b> |               |

*Change every 250 hours*

| USE                         |                               | CLIMATE                       |
|-----------------------------|-------------------------------|-------------------------------|
| Normal                      |                               | Moderate                      |
| PRODUCT RECOMMENDATION 1    | PRODUCT RECOMMENDATION 2      | PRODUCT RECOMMENDATION 3      |
| <b>Synfleet SHPD 10W-40</b> | <b>Dieselfleet CD+ 15W-40</b> | <b>Multifleet SHPD 10W-40</b> |

*Change every 250 hours*

**DIFFERENTIAL FRONT**  
Capacity: 15 liter

| USE                      |  | CLIMATE       |
|--------------------------|--|---------------|
| Flexible (max)           |  | Mediterranean |
| PRODUCT RECOMMENDATION 1 |  |               |
| <b>Gear Oil Alcat 50</b> |  |               |

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Flexible (max)           |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Gear Oil Alcat 30</b> |  |          |

| USE                       |  | CLIMATE |
|---------------------------|--|---------|
| Flexible (max)            |  | Cold    |
| PRODUCT RECOMMENDATION 1  |  |         |
| <b>Gear Oil Alcat 10W</b> |  |         |

# CATERPILLAR WHEELED LOADERS IT14G

## CATERPILLAR 3054T (1995-2004)

**DIFFERENTIAL REAR**

Capacity: 15 liter

| USE                      |  | CLIMATE       |
|--------------------------|--|---------------|
| Flexible (max)           |  | Mediterranean |
| PRODUCT RECOMMENDATION 1 |  |               |
| <b>Gear Oil Alcat 50</b> |  |               |

| USE                      |  | CLIMATE  |
|--------------------------|--|----------|
| Flexible (max)           |  | Moderate |
| PRODUCT RECOMMENDATION 1 |  |          |
| <b>Gear Oil Alcat 30</b> |  |          |

| USE                       |  | CLIMATE |
|---------------------------|--|---------|
| Flexible (max)            |  | Cold    |
| PRODUCT RECOMMENDATION 1  |  |         |
| <b>Gear Oil Alcat 10W</b> |  |         |

**TRANSMISSION HYDROSTATIC**

Capacity: 4 liter (Dry fill), Capacity: 2,5 liter (Refill)

| USE                      |                               | CLIMATE                     |
|--------------------------|-------------------------------|-----------------------------|
| Flexible (max)           |                               | Moderate                    |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2      | PRODUCT RECOMMENDATION 3    |
| <b>Helar 0W-40</b>       | <b>Agridiesel CRD+ 15W-40</b> | <b>Kroontrak MTH 10W-30</b> |

| USE                       |  | CLIMATE  |
|---------------------------|--|----------|
| Biodegradable oil         |  | Moderate |
| PRODUCT RECOMMENDATION 1  |  |          |
| <b>Perlus Biosynth 46</b> |  |          |

**HYDRAULIC SYSTEM**

Capacity: 70 liter (Hydraulic tank), Capacity: 100 liter (Total)

| USE                      |                          | CLIMATE       |
|--------------------------|--------------------------|---------------|
| Flexible (max)           |                          | Mediterranean |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 |               |
| <b>Multifleet SCD 30</b> | <b>Gear Oil Alcat 30</b> |               |

| USE                      |                               | CLIMATE                     |
|--------------------------|-------------------------------|-----------------------------|
| Flexible (max)           |                               | Moderate                    |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2      | PRODUCT RECOMMENDATION 3    |
| <b>Helar 0W-40</b>       | <b>Agridiesel CRD+ 15W-40</b> | <b>Kroontrak MTH 10W-30</b> |

# CATERPILLAR WHEELED LOADERS IT14G

## CATERPILLAR 3054T (1995-2004)



### FAN DRIVE BEARINGS

We are unable to give a standard recommendation for this component. Please contact our service department.

### GREASE POINTS/NIPPLES

#### USE

Normal

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**MoS2 Grease EP 2**

#### USE

Light Duty

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**HT Q9 High Grade Grease**

### COOLING SYSTEM

Capacity: 23 liter

#### USE

Extended

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**Coolant SP 17**

*Change every 6000 hours/ 72 months*

#### USE

Extended drain (max)

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**Coolant SP 17**

*Change every 12000 hours/ 72 months*

#### USE

Alternative (acceptable)

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**Coolant SP 15+**

#### PRODUCT RECOMMENDATION 2

**Coolant SP 12**

#### PRODUCT RECOMMENDATION 3

**Coolant -38 Organic NF**

*Change every 24 months/ 3000 hours*

#### USE

Acceptable

#### CLIMATE

Moderate

#### PRODUCT RECOMMENDATION 1

**Coolant SP 15+**

#### PRODUCT RECOMMENDATION 2

**Coolant SP 12**

#### PRODUCT RECOMMENDATION 3

**Coolant -38 Organic NF**

*Change every 36 months/ 3000 hours*

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.