PRODUCT RECOMMENDATION

CATERPILLAR TRACKED EXCAVATORS 6015FS DHF CUMMINS QSK19

ENGINE Cummins QSK19 Capacity: 66 liter (each engine)		
USE Normal		CLIMATE Mediterranean
PRODUCT RECOMMENDATION 1 **Agridiesel CRD+ 15W-40**	PRODUCT RECOMMENDATION 2 **Dieselfleet CD+ 15W-40**	PRODUCT RECOMMENDATION 3 **Multifleet SHPD 15W-40**
Check every 10 hours, change every 6 months/ 250 hours		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Armado Synth 5W-30**	PRODUCT RECOMMENDATION 2 **Dieselfleet LSP Ultra 10W-30**	
Check every 10 hours, change every 6 months/ 250 hours		

HYDRAULIC SYSTEM Capacity: 1300 liter (Hydraulic tank), Capacity: 1700 liter (Total system volume)		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Perlus H 68**		
Check every 10 hours, change every 36 months/ 5000 hours		

GREASE POINTS/NIPPLES AUTOMATIC LUBRICATION SYSTEM Capacity: 10 kg		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **MoS2 Grease EP 2**		
Check every 10 hours		

COOLING SYSTEM Capacity: 115 liter (each engine)		
USE Extended		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Coolant SP 17**		
Check every 10 hours, change every 72 months/ 12000 hours		

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

CATERPILLAR TRACKED EXCAVATORS 6015FS DHF CUMMINS QSK19

PUMP TRANSFER GEARBOX
Capacity: 13,5 liter (each (2x))

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	**Abacot MEP 220**	

Check every 60 hours, change every 1000 hours

PUMP TRANSFER GEARBOX PRE-CHAMBERS (HYDRAULIC PUMPS)
Capacity: 0,2 liter

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	**Abacot MEP 220**	

Check every 10 hours, change every 1000 hours

PUMP TRANSFER GEARBOX PRE-CHAMBERS (WORKING PUMPS)
Capacity: 1,4 liter (each (2x))

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	**Abacot MEP 220**	

Check every 10 hours, change every 1000 hours

SWING DRIVE GEARBOX
Capacity: 26 liter (each (2x))

USE		CLIMATE
Normal		Mediterranean
PRODUCT RECOMMENDATION 1		
Abacot MEP 320		

Check every 10 hours, change every 1000 hours

USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	
Abacot MEP Synth 220	**Abacot MEP 220**	

Check every 10 hours, change every 1000 hours

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

CATERPILLAR TRACKED EXCAVATORS 6015FS DHF CUMMINS QSK19

TRAVEL REDUCTION GEARBOX P/N 3709660 Capacity: 13,5 liter (each (2x))		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Abacot MEP Synth 220**	PRODUCT RECOMMENDATION 2 **Abacot MEP 220**	
Check every 500 hours, change every 36 months/ 5000 hours		

TRAVEL REDUCTION GEARBOX P/N 3712319 Capacity: 18 liter (each (2x))		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Abacot MEP Synth 220**	PRODUCT RECOMMENDATION 2 **Abacot MEP 220**	
Check every 500 hours, change every 36 months/ 5000 hours		

TRAVEL REDUCTION GEARBOX P/N 3749594 Capacity: 18 liter (each (2x))		
USE Normal		CLIMATE Moderate
PRODUCT RECOMMENDATION 1 **Abacot MEP Synth 220**	PRODUCT RECOMMENDATION 2 **Abacot MEP 220**	
Check every 500 hours, change every 36 months/ 5000 hours		

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367