PRODUCT RECOMMENDATION

# DIECI TELESCOPIC HANDLERS ZEUS 35.10 TA IVECO NEF F4GE0484C (2005-2013)

| **ENGINE** Iveco NEF F4GE0484C<br>Capacity: 10 liter | | |
|---|---|---|
| **USE**<br>Normal | | **CLIMATE**<br>Moderate |
| **PRODUCT RECOMMENDATION 1**<br>**Kroontrak CVT 10W-40** | **PRODUCT RECOMMENDATION 2**<br>**Agrisynth MSP 10W-40** | **PRODUCT RECOMMENDATION 3**<br>**Agridiesel MSP 15W-40** |
| *Change every 250 hours* | | |

| **DIFFERENTIAL FRONT**<br>Capacity: 7,4 liter | | |
|---|---|---|
| **USE**<br>Normal | | **CLIMATE**<br>Moderate |
| **PRODUCT RECOMMENDATION 1**<br>**Agrifluid Synth XHP Ultra** | **PRODUCT RECOMMENDATION 2**<br>**Agrifluid HT-Plus** | **PRODUCT RECOMMENDATION 3**<br>**Kroontrak MTH 10W-30** |
| *Check every 250 hours, change every 1000 hours* | | |

| **DIFFERENTIAL REAR**<br>Capacity: 7,6 liter | | |
|---|---|---|
| **USE**<br>Normal | | **CLIMATE**<br>Moderate |
| **PRODUCT RECOMMENDATION 1**<br>**Agrifluid Synth XHP Ultra** | **PRODUCT RECOMMENDATION 2**<br>**Agrifluid HT-Plus** | **PRODUCT RECOMMENDATION 3**<br>**Kroontrak MTH 10W-30** |
| *Check every 250 hours, change every 1000 hours* | | |

| **HUB REDUCTIONS FRONT**<br>Capacity: 1 liter | | |
|---|---|---|
| **USE**<br>Normal | | **CLIMATE**<br>Moderate |
| **PRODUCT RECOMMENDATION 1**<br>**Agrifluid Synth XHP Ultra** | **PRODUCT RECOMMENDATION 2**<br>**Agrifluid HT-Plus** | **PRODUCT RECOMMENDATION 3**<br>**Kroontrak MTH 10W-30** |
| *Check every 250 hours, change every 1000 hours* | | |

| **HUB REDUCTIONS REAR**<br>Capacity: 1 liter | | |
|---|---|---|
| **USE**<br>Normal | | **CLIMATE**<br>Moderate |
| **PRODUCT RECOMMENDATION 1**<br>**Agrifluid Synth XHP Ultra** | **PRODUCT RECOMMENDATION 2**<br>**Agrifluid HT-Plus** | **PRODUCT RECOMMENDATION 3**<br>**Kroontrak MTH 10W-30** |
| *Check every 250 hours, change every 1000 hours* | | |

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# DIECI TELESCOPIC HANDLERS ZEUS 35.10 TA IVECO NEF F4GE0484C (2005-2013)

## TRANSMISSION HYDROSTATIC
Capacity: 1,5 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|---|---|---|
| **Agrifluid Synth XHP Ultra** | **Agrifluid HT-Plus** | **Kroontrak MTH 10W-30** |

*Check every 250 hours, change every 1000 hours*

## HYDRAULIC SYSTEM HYDROSTATIC DRIVE
Capacity: 140 liter (Hydraulic system including tank), Capacity: 100 liter (Hydraulic tank)

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Perlus Biosynth 46** | **Perlus H 46** | |

*Change every 500 hours*

## HYDRAULIC BRAKE SYSTEM
Capacity: 1,2 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | | |
|---|---|---|
| **ATF Dexron II-D** | | |

*Change every 2000 hours*

## GREASE POINTS/NIPPLES

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | PRODUCT RECOMMENDATION 3 |
|---|---|---|
| **Labora Grease** | **Q5 MP Calcep Grease EP 2** | **MP Lithep Grease EP 2** |

## COOLING SYSTEM
Capacity: 7 liter

| USE | CLIMATE |
|---|---|
| Normal | Moderate |

| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
|---|---|---|
| **Coolant -38 Organic NF** | **Coolant -26** | |

*Change every 2000 hours*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367

PRODUCT RECOMMENDATION

# DIECI TELESCOPIC HANDLERS ZEUS 35.10 TA IVECO NEF F4GE0484C (2005-2013)

*The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.*

KROON-OIL B.V.
Postbus 149
7600 AC Almelo

Dollegoorweg 15
7602 EC Almelo

Telefoon 0546-818165
Verkoop 0546-816184

Telefax 0546-817367