

DYNAPAC TANDEM DRUM VIBRATORY ROLLERS CC/CG/LA CG333HF DEUTZ BF4M-2011 (*86120400* ->) (2010-2014)



ENGINE Deutz BF4M-2011
Capacity: 18 liter

USE Normal		CLIMATE Moderate
----------------------	--	----------------------------

PRODUCT RECOMMENDATION 1 Agridiesel CRD+ 15W-40	PRODUCT RECOMMENDATION 2 Dieselfleet CD+ 15W-40	PRODUCT RECOMMENDATION 3 Multifleet SHPD 15W-40
--	--	--

Check every 10 hours, change every 3 months/ 500 hours

DRUM GEARBOX FRONT
Capacity: 1,3 liter (each side)

USE Normal		CLIMATE Mediterranean
----------------------	--	---------------------------------

PRODUCT RECOMMENDATION 1 Gearlube GL-5 85W-140	PRODUCT RECOMMENDATION 2 Unigear LS GL-3/GL-5 85W-140	
---	--	--

Check every 3 months/ 500 hours, change every 12 months/ 2000 hours

USE Normal		CLIMATE Moderate
----------------------	--	----------------------------

PRODUCT RECOMMENDATION 1 Gearlube GL-5 80W-90	PRODUCT RECOMMENDATION 2 Unigear HS GL-3/GL-5 80W-90	
--	---	--

Check every 3 months/ 500 hours, change every 12 months/ 2000 hours

DRUM GEARBOX REAR
Capacity: 1,3 liter (each side)

USE Normal		CLIMATE Mediterranean
----------------------	--	---------------------------------

PRODUCT RECOMMENDATION 1 Gearlube GL-5 85W-140	PRODUCT RECOMMENDATION 2 Unigear LS GL-3/GL-5 85W-140	
---	--	--

Check every 3 months/ 500 hours, change every 12 months/ 2000 hours

USE Normal		CLIMATE Moderate
----------------------	--	----------------------------

PRODUCT RECOMMENDATION 1 Gearlube GL-5 80W-90	PRODUCT RECOMMENDATION 2 Unigear HS GL-3/GL-5 80W-90	
--	---	--

Check every 3 months/ 500 hours, change every 12 months/ 2000 hours

DYNAPAC TANDEM DRUM VIBRATORY ROLLERS CC/CG/LA CG333HF DEUTZ BF4M-2011 (*86120400* ->) (2010-2014)

**HYDRAULIC SYSTEM**

Capacity: 38 liter (Hydraulic tank)

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Perlus H 68*Check every 10 hours, change every 2000 hours/ 12 months*

USE	CLIMATE
Biodegradable oil	Mediterranean

PRODUCT RECOMMENDATION 1

Perlus Biosynth 46*Check every 10 hours, change every 2000 hours/ 12 months***GREASE POINTS/NIPPLES**

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

HT Q9 High Grade Grease

PRODUCT RECOMMENDATION 2

Labora Grease**ARTICULATED JOINT**

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Q5 MP Calcep Grease EP 2

PRODUCT RECOMMENDATION 2

MP Lithep Grease EP 2**DRUM FRONT**

Capacity: 9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Abacot MEP HD 150*Check every 3 months/ 500 hours, change every 12 months/ 2000 hours*

DYNAPAC TANDEM DRUM VIBRATORY ROLLERS CC/CG/LA CG333HF DEUTZ BF4M-2011 (*86120400* ->) (2010-2014)

**DRUM REAR**

Capacity: 9 liter

USE	CLIMATE
Normal	Moderate

PRODUCT RECOMMENDATION 1

Abacot MEP HD 150

Check every 3 months/ 500 hours, change every 12 months/ 2000 hours

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.