HAMM SINGLE DRUM COMPACTORS 3518 P DEUTZ BF6M1013E (H1610017 -> H1610296)



,		
ENGINE Deutz BF6M-1013E Capacity: 26,5 liter (Service fill)		
USE		CLIMATE
Initial service		Tropical
PRODUCT RECOMMENDATION 1		
Multifleet SCD 40		
Change every 50 hours		
USE		CLIMATE
Initial service		Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	Multifleet SCD 30
Change every 50 hours		
USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 10W-40		
Change every 50 hours		
USE		CLIMATE
Normal, fuel sulfur level <0,5 %,	ambient temperature > -10°C	Tropical
PRODUCT RECOMMENDATION 1		
Multifleet SCD 40		
Change every 500 hours		
USE		CLIMATE
Normal, fuel sulfur level <0,5 %,	ambient temperature > -10°C	Mediterranean
PRODUCT RECOMMENDATION 1	PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
Dieselfleet CD+ 15W-40	Multifleet SHPD 15W-40	Multifleet SCD 30
Change every 500 hours		
USE		CLIMATE
Normal, fuel sulfur level <0,5 %,	ambient temperature > -10°C	Moderate
PRODUCT RECOMMENDATION 1		
Multifleet SHPD 10W-40		

HAMM SINGLE DRUM COMPACTORS 3518 P DEUTZ BF6M1013E (H1610017 -> H1610296)



DIFFERENTIAL Capacity: 14 liter		
USE		CLIMATE
Normal		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube LS 80W-90		
Check every 250 hours, change every 100	0 hours	
USE		CLIMATE
Initial service		Moderate
PRODUCT RECOMMENDATION 1		
Gearlube LS 80W-90		
Change every 500 hours		

USE	CLIMATE
Normal	Moderate
PRODUCT RECOMMENDATION 1	
Perlus HCD 46	
Change every 2000 hours	
USE	CLIMATE
Biodegradable oil	Moderate
PRODUCT RECOMMENDATION 1	
Perlus Biosynth 46	
Change every 2000 hours	
USE	CLIMATE
Biodegradable oil	Cold
PRODUCT RECOMMENDATION 1	
Perlus Biosynth 32	

PRODUCT RECOMMENDATION 2	PRODUCT RECOMMENDATION 3
	Moderate
	CLIMATE
	PRODUCT RECOMMENDATION 2

PRODUCT RECOMMENDATION

HAMM SINGLE DRUM COMPACTORS 3518 P DEUTZ BF6M1013E (H1610017 -> H1610296)



COOLING SYSTEM

Capacity: 25 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

DRUM GEARBOX

Capacity: 4 liter

We are unable to give a standard recommendation for this component. Please contact our service department.

VIBRATOR

Capacity: 2 liter (each side)

We are unable to give a standard recommendation for this component. Please contact our service department.

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.