

HYSTER FORKLIFT TRUCKS, PETROL/LPG

S4.5FT GM 4.3L (G004) (2005 AND AFTER)



ENGINE GM 4.3L V6
Capacity: 4,7 liter

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

Dieselfleet MSP 10W-30

Check every 8 hours, change every 6 months/ 500 hours

| USE | CLIMATE |
|--------|---------|
| Normal | Cold |

PRODUCT RECOMMENDATION 1

Armado Synth LSP Ultra 5W-30

Check every 8 hours, change every 6 months/ 500 hours

| USE | CLIMATE |
|-----------------|----------|
| Initial service | Moderate |

PRODUCT RECOMMENDATION 1

Dieselfleet MSP 10W-30

Change every 100 hours

| USE | CLIMATE |
|-----------------|---------|
| Initial service | Cold |

PRODUCT RECOMMENDATION 1

Armado Synth LSP Ultra 5W-30

Change every 100 hours

STEERING AXLE

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

MoS2 Grease EP 2

Change every 500 hours/ 12 months

TRANSMISSION AND PLANETARY CARRIER

Capacity: 29,8 liter

| USE | CLIMATE |
|--------|----------|
| Normal | Moderate |

PRODUCT RECOMMENDATION 1

Agrifluid Synth XHP Ultra

PRODUCT RECOMMENDATION 2

Agrifluid HT-Plus

PRODUCT RECOMMENDATION 3

Kroontrak MTH 10W-30

Check every 500 hours, change every 12 months/ 2000 hours

HYSTER FORKLIFT TRUCKS, PETROL/LPG

S4.5FT GM 4.3L (G004) (2005 AND AFTER)



WHEEL BEARINGS STEERING AXLE

| USE | | CLIMATE |
|---|--|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| MoS2 Grease EP 2 | | |
| <i>Change every 2000 hours/ 12 months</i> | | |

HYDRAULIC SYSTEM

Capacity: 39,4 liter

| USE | | CLIMATE |
|--|--------------------------|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Perlus H 46 | Perlus AF 46 | |
| <i>Check every 8 hours, change every 24 months/ 4000 hours</i> | | |

| USE | | CLIMATE |
|---|--------------------------|----------|
| Severe | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Perlus H 46 | Perlus AF 46 | |
| <i>Change every 2000 hours/ 12 months</i> | | |

HYDRAULIC BRAKE SYSTEM

Capacity: 0,35 liter

| USE | | CLIMATE |
|--|--------------------------|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| SP Matic 2032 | ATF Almirol | |
| <i>Check every 500 hours, change every 12 months/ 2000 hours</i> | | |

COOLING SYSTEM

Capacity: 15,1 liter

| USE | | CLIMATE |
|--|--------------------------|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | PRODUCT RECOMMENDATION 2 | |
| Coolant -38 Organic NF | Coolant -26 | |
| <i>Check every 8 hours, change every 12 months/ 2000 hours</i> | | |

HYSTER FORKLIFT TRUCKS, PETROL/LPG

S4.5FT GM 4.3L (G004) (2005 AND AFTER)



LIFT CHAINS

| USE | | CLIMATE |
|-------------------------------|--|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| Dieselfleet MSP 10W-30 | | |

Check every 8 hours, change every 12 months/ 500 hours

MAST PIVOTS

| USE | | CLIMATE |
|--------------------------|--|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| MoS2 Grease EP 2 | | |

Check every 8 hours, change every 12 months/ 500 hours

MAST SLIDING SURFACES

| USE | | CLIMATE |
|--------------------------|--|----------|
| Normal | | Moderate |
| PRODUCT RECOMMENDATION 1 | | |
| MoS2 Grease EP 2 | | |

Check every 8 hours, change every 12 months/ 500 hours

The data mentioned in this product information sheet is meant to enable the reader to orientate himself about the properties and possible applications of our products. Although this overview is composed with all possible care on the stated date, the compiler does not accept any liability for damages caused by incompleteness and/or inaccuracies in this information, especially when these are caused by obvious typing errors. The terms of delivery of the supplier apply to all product supplies. The reader is advised, especially for critical applications, to make the final product choice in consultation with the supplier. Due to continual product research and development, the information contained herein is subject to changes without notification.